



INVEST IN THE FUTURE



French manufacturer
since 1964

Car Body Welding Systems

Catalogue Carrosserie

Catalogo Carrozzeria

Karosserie-Schweißtechnik Katalog

Catálogo de Soldadura para Carrocería

2
0
2
1

SPOTTER
DENT PULLER
MIG
PLASMA
INDUCTION
LIFT
RIVETING
ACCESSORIES





GYS FRANCE
Laval

🕒 1964
👥 × 530



visit with
📺 Youtube

INVEST IN THE FUTURE

FR

Créé en 1964, GYS est un groupe industriel français regroupant plus de 770 collaborateurs dans le monde. Fort d'un centre de recherche de premier plan, GYS est un acteur majeur dans la conception et la fabrication d'équipements de soudage, de chargeurs de batteries et de systèmes de réparation carrosserie.

Les nouvelles réalités du marché sont en perpétuel changement et la taille de notre entreprise familiale nous impose une adaptation rapide aux nouveaux contextes et à leurs enjeux.

Nous sommes convaincus que notre avenir est étroitement lié à celui de nos clients. Pour cela, nous mettons tout en œuvre pour comprendre ce que les distributeurs et les utilisateurs attendent de nous, savoir à quels défis ils font face et voir dans quelle mesure nous pouvons leur permettre de les relever afin de devenir et rester leur partenaire privilégié pour le chemin que nous avons à parcourir ensemble.

DE

GYS wurde 1964 gegründet und ist ein französisches Familienunternehmen mit mehr als 770 Mitarbeitern auf der ganzen Welt. Dank einem erstklassigen Forschungszentrum ist GYS ein wichtiger Akteur in der Entwicklung und Herstellung von Schweißgeräten, Batterieladegeräten und Karosseriereparatursystemen.

Neue Marktbedingungen sind in fortwährender Veränderung und die Größe unseres Familienunternehmens veranlasst eine rasche Anpassung an neue Umstände und an ihre Herausforderungen.

Wir sind überzeugt, dass unsere Zukunft eng mit der unserer Kunden verbunden ist. Dafür setzen wir all unser Können ein, um zu verstehen, was die Händler und Anwender von uns erwarten, welchen Herausforderungen sie gegenüberstehen und um zu schauen, in welchem Maße wir sie unterstützen können, damit wir ihr bevorzugter Partner werden und bleiben auf dem Weg, den wir gemeinsam beschreiten.

IT

Nato nel 1964, GYS è un gruppo industriale francese che raggruppa oltre 770 collaboratori nel mondo. Forte di un centro di ricerca di grande importanza, GYS è uno dei maggiori protagonisti nella progettazione e fabbricazione di apparecchiature per la saldatura e il taglio, di carica-batterie booster e avviatori e sistemi di riparazione delle carrozzerie.

Le realtà del mercato sono in continuo cambiamento e richiedono risposte immediate. Le dimensioni della nostra impresa familiare consentono un adattamento rapido ai nuovi contesti e alle loro problematiche.

Siamo convinti che il nostro futuro sia strettamente legato a quello dei nostri clienti. Per questo noi mettiamo il massimo impegno per capire quello che i distributori e i loro clienti/utilizzatori si aspettano da noi, quali sfide devono affrontare e come possiamo aiutarli per farli crescere, per diventare e restare loro partner di riferimento per proseguire insieme sul cammino del successo.

Created in 1964, GYS is a French industrial group with 770 employees around the world. Built around continuous investment in Research & Development and in the acquisition of knowledge, the company is now a major player in the design and manufacture of welding machines, battery chargers and car body repair equipment.

“ The market realities are constantly changing and the size of our family business requires us to quickly adapt to new contexts and new challenges.

We are convinced that our future is closely linked to the future of our partners. This is why we do everything in our power to understand what distributors and users expect from us and what challenges they face every day. To support them in facing these challenges, we wish to become and remain their privileged partner on the path we will travel together. ”

Bruno Bouygues,
C.E.O.



Nicolas & Bruno
Bouygues

A worldwide coverage

125 countries



🇩🇪 GYS GERMANY
Aachen

🕒 2006
👥 × 70



🇬🇧 GYS U.K.
Rugby

🕒 2008
👥 × 35



🇨🇳 GYS CHINA
Shanghai

🕒 2004
👥 × 125



🇮🇹 GYS ITALIA
Venezia

🕒 2015
👥 × 15



770 people



55 000 m²
590 000 sqf
2 factories

Partners





GYS ACADEMY

Training centre dedicated
to professionals

Centre de formation agréé

Trainingcenter für Profis

Centro di formazione dedicato
ai professionisti

Ref. 52 53 0068153

3 catalogues

2 700+ references



Welding
& Cutting



Car body
Welding
Systems



Chargers,
Boosters
& Starters

↑ DENT PULLING



GYS POT
p.6

Accessories,
levelling bars
p.16



Workstations
p.20



Pulling systems
p.26

Paintless repair
p.32

↑ MOBILE PNEUMATIC LIFT



SPOT LIFT
p.34



AUTO ROLL
& accessories
p.34



ERGO LIFT
& accessories
p.36




TROLLEY IW1
p.37

⏏ SPOT WELDING

Overview
p.38

Traditional



PORTASPOT
p.40



GYS POT 32D
p.40

Inverter



GYS POT 100R
p.41



GYS POT BP & PTI
p.42

X & C Arms
p.46

Genius



GYS POT G
p.48

G Arms
p.52

Consumables
& accessories
p.52

⏏ RIVETING



GYS PRESS
p.54

Accessories
& consumables
p.58

⏏ MIG WELDING



GYS AUTO
p.64



MULTIPEARL
p.66



AUTOPULSE
p.68

Helmets, accessories
& consumables
p.72

⏏ INDUCTION



GYS INDUCTION
COMBIDUCTION
p.78



POWERDUCTION
p.80

⏏ PLASMA



CUTTER & EASYCUT
p.84

+ MORE

Windscreen repair p.86

Bumper repair p.88

Tools p.90

Wheel repair p.95

Working lights p.96

Working supports p.98

Safety protections p.100



CHARGERS & BSU



GYS FLASH & MORE
p.102

100%
in house
production

Advanced
R&D
x 75



Metal work
Tôlerie
Blechbearbeitung



Painting & marking
Peinture & marquage
Lackierstraße



Electronics
Électronique
Elektronik



Mechanical
Mécanique
CNC-Bearbeitung



Transformers
Transformateurs
Transformatoren



Cable work
Filerie
Kabelkonfektionierung

Assembly
Montage/tests
Montage

www.gys.fr





GYSPOT

DENT PULLING

ACIER / STEEL / STAHL

- ▽ Étoiles - Stars - Ausbeulstern
- 🔗 Anneaux - Rings - Zugösen
- 〰 Filles ondulées - Wavy wires - Wellendraht
- ⚡ Rabattage d'impact - Impact shrinking - Glätten

OPTIONS

Consommables - Consumables p.10

Chariots - Trolleys p.20

- ▽ Étoiles - Stars - Ausbeulstern
- 🔗 Anneaux - Rings - Zugösen
- 〰 Filles ondulées - Wavy wires - Wellendraht
- ⚡ Rabattage d'impact - Impact shrinking - Glätten
- + 🔧 Rétreinte - Tempering - Temperieren

NEW

FIXED GUN

FIXED GUN


GYSPOT 2600

2600 A x1 AUTOMATIC

230V • 1~

052208

included



Earth cable 1.7 m, 50 mm²

Electrode warming point

Star copper coating (x3)


GYSPOT 2700

2600 A x1 MANUAL

230V • 1~

055353

included



Earth cable 1.7 m, 50 mm²

Electrode warming point

Star copper coating (x3)

GYSPOT 34.02 & 34.04

3500 A x1 MANUAL


230V • 1~

GYSPOT 34.02 065741

400V • 2~

GYSPOT 34.04 067943

included



Earth cable 1.7 m, 50 mm²

Electrode warming point

Star copper coating (x3)

QUICK GUNS

Quick & Easy

AUTOMATIC



included hammer :



WITH CONNECTOR
cable 2 m, Ø 70 mm²
included PRO 230/400, COMBI 230EPRO 057500

WITH CONNECTOR
3 m, Ø 70 mm²
included EXPERT 200/230/400 059207



included hammer :



MANUAL



included electrode warming point :



No connector
cable 1.8 m, Ø 70 mm²
for 2700 058705

included hammer :



- ▽ Étoiles - Stars - Ausbeulstern
- 🔗 Anneaux - Rings - Zugösen
- 〰 Filles ondulées - Wavy wires - Wellendraht
- ⚡ Rabattage d'impact - Impact shrinking - Glätten
- + 🔧 Rétreinte - Tempering - Temperieren
- + 🔗 Rivets - Rivets - Nieten
- + 🔗 Rondelles - Rings - Unterlegscheiben
- + 🔗 Goujons - Studs - Gewindebolzen

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN



NEW DESIGN



NEW DESIGN



NEW DESIGN



GYSPOT 39.02 & 39.04

3800 A x1 AUTOMATIC


230V • 1~

GYSPOT 39.02 052215

400V • 2~

GYSPOT 39.04 052222

included



Earth cable 2 m, 70 mm²

SPOTTER BOX STANDARD (053915) (Details p.10)

GYSPOT PRO 230 & PRO 400

3800 A x2 AUTOMATIC

230V • 1~

GYSPOT PRO 230 052178

400V • 2~

GYSPOT PRO 400 052185

included



Earth cable 2 m, 70 mm²

SPOTTER BOX PRO (050075) (Details p.10)

GYSPOT EXPERT 200, 230 & 400

3800-4500 A x2 AUTOMATIC

230V • 1~

GYSPOT EXPERT 230 066885

200-240V • 1~

GYSPOT EXPERT 200 058842

400V • 2~


GYSPOT EXPERT 400 058859

included



Earth cable Thick 3 mm 2 m, 70 mm²

SPOTTER BOX PRO (050075) (Details p.10)



Earth cable Thick 3 mm 2 m, 70 mm²

SPOTTER BOX PRO (050075) (Details p.10)

	CE NORM 62135	50/60 Hz	I ₂ max A	U ₂ V	I _{AM} A	I _{RMS} A	kW	MADE IN CHINA	MADE IN FRANCE	MANUAL	SYNERGIC	QUICK GUN	AUTOMATIC	MANUAL	SEPARATE CABLE GUN	2 m	cm	kg
GYSPOT 2600	230V	2600	5,4	16	1800	10	OK	—	—	—	—	—	—	—	—	2 m	20 x 32 x 18	15
GYSPOT 2700	230V	2600	5,4	16	1800	10	OK	—	—	—	—	—	—	—	—	2 m	20 x 32 x 18	14,5
GYSPOT 34.02	230V	3500	7,4	16	2500	20	OK	OK	—	—	—	—	—	—	—	2 m	22,5 x 36 x 23,5	21
GYSPOT 34.04	400V, 2ph	3500	7,4	16	2500	20	OK	OK	—	—	—	—	—	—	—	4 m	22,5 x 36 x 23,5	21
GYSPOT 39.02	230V	3800	7,4	16	2800	20	OK	OK	—	—	—	—	—	—	—	4 m	22,5 x 36 x 23,5	22
GYSPOT 39.04	400V, 2ph	3800	7,4	16	2800	20	OK	OK	—	—	—	—	—	—	—	4 m	22,5 x 36 x 23,5	22
GYSPOT PRO 230	230V	3800	7,4	16	2800	20	OK	OK	—	—	—	—	—	—	—	8 m	22,5 x 36 x 23,5	20,5
GYSPOT PRO 400	400V, 2ph	3800	7,4	16	2800	20	OK	OK	—	—	—	—	—	—	—	8 m	22,5 x 36 x 23,5	20,5
GYSPOT EXPERT 200	200-240V	4350 > 5100	7,2-8,7	30(D)	3100 > 3600	25 > 36	OK	OK	—	—	—	—	—	—	—	8 m	22,5 x 36 x 23,5	33
GYSPOT EXPERT 230	230V	3800	7,4	16	2800	20	OK	OK	—	—	—	—	—	—	—	8 m	22,5 x 36 x 23,5	20,5
GYSPOT EXPERT 400	400V, 2ph	4500	7,4	16(D)	3200	25	OK	OK	—	—	—	—	—	—	—	8 m	22,5 x 36 x 23,5	28




GYSPOT ALU

DENT PULLING

ALU

NEW DESIGN
COMING SOON



FIXED GUN

GYSPOT ALU PRO FV

100 · 230V · 1 ~

7500 A x1 **AUTOMATIC**

FV

021990

included



Automatic alu gun
3 m, 25 mm²



ALU BOX STANDARD (050020)
(Details p.11)

ALU GUN

AUTOMATIC




PATENTS REGISTERED NUMBERS
0023446450-0001
EUROPEAN TRADEMARK & DESIGN



(x 3)
065635

66 mF CAPACITOR
DISCHARGE
WELDING



with connectors
for COMBI 230
E.PRO

OPTIONS

Consommables - Consumables
p.10



Acessoires ALU - ALU accessories
p.17



Chariots - Trolleys
p.20



GYSPOT COMBI

DENT PULLING

ALU + ACIER / STEEL / STAHL

NEW DESIGN
COMING SOON

3 GUNS INCLUDED



GUN WITH CONNECTOR

GYSPOT COMBI 230 E.PRO

230V · 1 ~

3800 A Acier / Steel / Stahl

7500 A Alu

x3

AUTOMATIC

MANUAL


AUTOMATIC

021266

included




Automatic quick gun, 3 m, 50 mm² (057500)



Manual quick gun, 2 m, 70 mm² (057524)



Automatic alu gun, 3 m, 25 mm²



Earth cable
2 m, 70 mm²



SPOTTER BOX PRO (050075)
(Details p.10)



ALU BOX STANDARD (050020)
(Details p.11)

			I ₂ max	U ₂		I _{RMS}	kW				SYNERGIC			AUTOMATIC	MANUAL	SEPARATE CABLE GUN						
MADE IN FRANCE	62135	50/60 Hz	A	V	A	A		OK	OK					x1			3 m	2 m	Included Alu box	21 x 24 x 36	12.5	
GYSPOT ALU PRO FV		110 · 230V	7500	50 · 200	5	—	0.65	OK	OK					x1			3 m	2 m	Included Alu box	21 x 24 x 36	12.5	
GYSPOT COMBI 230 E.PRO		230V	3800 (steel) 7500 (alu)	7,4 (steel) 50 · 200 (alu)	16	2800 (steel)	20	OK	OK					x2	x1		2/3 m	8 m	Included Spotter box + Alu box	45 x 43 x 29	42.5	

GYSPOT

ALU + STEEL DENT PULLING



GYSPOT ACCESSORIES & CONSUMABLES



ACIER / STEEL / STAHL



DENT BOX CONSUMABLES / BAR / EASY SPOTTER BOX STANDARD / 2600 / 2700



SPOTTER BOX PRO

DENT BOX

CONSUMABLES 051515	x20						x25		x50 x25			
BAR 050037	ideal PROLINER						x1 x25		x1 x50		x1 180mm	
EASY 053632	included EASYLINER		x1 x1	x1 x10	x1 x50	x1	x1	x1	x1 x25	x1 x50	x1 180mm	

SPOTTER BOX

PRO 050075	included PRO, EXPERT & COMBI 230	x1 x1	x1 x20	x1 x50	x1	x1	x1
STANDARD 053915		x1 x1	x1 x20	x1 x50	x1	x1	x1
2600 052277	ideal GYSPOT 2600	x20		x1 x50	x1		
2700 053922	ideal GYSPOT 2700	x20		x1 x50	x1	x1	

Mandrins pour pistolets - Mandrels for gun - Pistole & Anschlußstücke, Zubehör

Pour débosseleurs - for dent pullers - Anschlußstück für Ausbeulspotter-Pistole

Pour soudeuses par point - for spot welding machines - Anschlußstück für Monopunktpistole

QUICK GUN
057531



D1
048959



S1
< nov 2010
048171



S2 - NEW
> nov 2010
048188



Écrou - Nut
053199

Microswitch
053267

Masse pistolet acier - Steel gun earth adapter - Masse für Stahl Pistole



051997




Ø 25 mm²




Anneaux - Rings - Zugösen

elec-trode	straight rings	twisted rings	lifting rod
x1	x100	x50	x3 180, 300, 500 mm 050792
050655	050648	050631	



Goujons - Studs - Gewindebolzen

electrode for threaded studs rivets ø 5 - M5, M6	threaded M5 x 18 x 0.8	self-threading ø 5 x 18	ø 5 x 12
x1	x100	x100	x100
049598	049383	049420	049413



Rivets - Rivets - Nieten

electrode ø 16, 3 x 4,50	ø 3 x 3,25	ø 3 x 4,50
x1	x100	x100
049604	049345	049352



Clous - Nails

electrode ø2 - M4	ø2
x1	x100
049277	041561

Molette - Stitch welding

for spot welding machine only
electrode wheel ø16
x1
050310

flat n°27	Earth plate large	magnetic
x1	x1	x1
049673	052529	049666

Rubber pad 062399

ELECTRODE FOR MAGNETIC EARTH (x1) 050013
THREADED ROD FOR MAGNETIC EARTH (x5) 055438
SINGLE HOOK (x1) 051218

ALU



ALU BOX LIGHT Ø4 / STANDARD Ø4 / Ø5 & 6

ALU BOX

LIGHT Ø4 051522	ø 4 x200		ø 4 x200			
STANDARD Ø4 050020	ø 4 x200		ø 4 x200		x5	x1
Ø 5 & 6 048195	x1	x1	ø 5 x100 + ø 6 x100	ø 5 x100 + ø 6 x100	x5	



mandrel for ALU GUN	alu magnesium screws 12 mm	alu silicium screws 12 mm	screwable rings ø4 x5	fast pulling rings x5	lifting rod x3: 180, 300, 500 mm 050792
ø 4 x2 049000	ø 5 x1 048157	ø 6 x1 048164	050297	058712	
ø 4 - M4 x200 050273	ø 4 - M4 x1000 050129	ø 5 x100 048140	ø 6 x100 048133	ø 4 - M4 x200 050280	ø 4 - M4 x1000 050136
ø 5 x100 048140	ø 6 x100 048133	ø 4 - M4 x200 050280	ø 4 - M4 x1000 050136	ø 5 x100 048126	ø 6 x100 048003



GYSPOT ARC PULL

DRAWN ARC DENT PULLING


ALU + ACIER / STEEL / STAHL



MANUAL



EXPERT Control



- 1 Amorce - Start-up - Zündung
- 2 Décapage - Scouring (I & t) - Abbeizen
- 3 Arc (I & t) - Arc - Lichtbogen
- 4 Accroche - Hitching (I & t) - Verklebung
- 5 Hauteur - Height - Höhe


7 languages
FR, EN, DE, SR, IT,
NL & RU

⌨ Anneaux - Rings - Zugösen
⌨ Goujons - Studs - Gewindebolzen
⌨ Tiges inox - Stainless steel nails -
Edelstahlnägel

SYNERGIC DIGITAL GUN

★★★★★
**UNIQUE
Linear Motor**

DRAWN ARC PROCESS
Gas protection



3 m, Ø 25 mm²
included
ARC PULL
200 & 350




Full control


Consumables for Gun



PFC POWER FACTOR
CORRECTION




FV FLEXIBLE
VOLTAGE



SPECIAL TEARING RIVETS

Spécial arrachage de rivets - Spezial-Zugnieten



∅ max
Alu : 6 mm
Fe : 5 mm



∅ max
Alu/Fe :
8 mm

GUN WITH CONNECTOR

GYSPOT ARC PULL 200

100 · 230V · 1~

200 A

x1 MANUAL

FV SR AD

057470

included



x1

Lifting rod 180 mm
(x3)

GYSPOT ARC PULL 350

208 · 240V · 1~


350 A

x1 MANUAL

PFC SR AD

062191

included



PACKS

	Arc Pull 350	Croco T400.70 043787	Rivet box 064584	Alu ring box 1.5 mm 059429	059610	Lifting rods 050792
ARC PULL 350 RIVET 064645	■	■	■	—	—	—
ARC PULL 350 PULLER 064652	■	—	—	■	x1	180, 300, 500 mm
ARC PULL 350 PULLER + RIVET 064669	■	■	■	■	x1	180, 300, 500 mm

 MADE IN FRANCE	 60974-1		I ₂	SYNER- GIC			TECHNOLOGY		U ₂		kW							
		50/60 Hz	A		Acier/Steel	Alu	Power Factor Correction	Flexible Voltage	V	A								cm
GYSPOT ARC PULL 200		110 › 230V	10 › 100 (110 V) 10 › 200 (230 V)	■	Manual + Digital Gun Motion Control		—	■	20.4 › 24 V (110 V) 20.4 › 28 V (230 V)	16	2.4 (110 V) 5.6 (230 V)	OK	OK	20.5 x 25 x 33	8.6 kg	11.9 kg		
GYSPOT ARC PULL 350		208 › 240V	10 › 350	■	Manual + Digital Gun Motion Control		■	—	20.4 › 34V	16	11.9	OK	OK	30 x 24.5 x 22	11 kg	14.3 kg		



GYSPOT ARC PULL

DRAWN ARC DENT PULLING

ALU + ACIER / STEEL / STAHL

NEW
05/2021

GYSPOT ARC PULL 700

380 · 480V · 3~

680 A

x1 MANUAL

SR IP 23

068315

included

Manual synergic gun
3 m, 50 mm²Double
earth clamps

Arc Pull Rivet Box 700

ALU RING BOX 1.5 mm
(AlSpec + AlMg3 +
AlMgSi) 059429Lifting rod 180 mm
(x1)Gas protection
(x1)
068346Threaded studs holder
Ø 6 (x1)
068391
Ø 8 (x1)
068407Ø max
Alu : 8 mm
Fe : 12 mm

SYNERGIC DIGITAL GUN

★★★★★
**UNIQUE
Linear
Motor****DRAWN ARC
PROCESS****Ideal
all position**3 m, Ø 50 mm²
included ARC PULL 700


GYSPOT ARC PULL 200 & 350 - ACCESSORIES & CONSUMABLES

ACIER / STEEL / STAHL

STEEL STUDS BOX 350 059443	x1 059634	x1 059641	x1 064065	x100 041561	x100 064034	x2 049000	x100 059603	x100 064607	x1 048157	x100 049383	x100 049413	x100 048164	x100 063969	x200 063990	x1 064041	x200 064003	x1 064058	x100 063976
	x1	x1				x1	x100		x1	x100	x100	x1	x100	x100				

ALU

ALU STUDS BOX 350 059436	x1 059634	x1 059641	x2 049000	x100 059573	x1 048157	x100 059580	x1 048164	x100 059597	x200 064010	x1 064041	x200 064027	x1 064058	x100 063983
	x1	x1	x1	x100	x1	x100	x1	x100	x1	x100			
ALU RING BOX 1 mm 059412	1mm x50	1mm x50	1mm x50	1mm x50	1mm x50	1mm x50	1mm x20	1mm x20	1mm x20	1mm x20	1mm x20		
ALU RING BOX 1.5 mm 059429	1.5mm x50	1.5mm x50	1.5mm x50	1.5mm x50	1.5mm x50	1.5mm x50	1.5mm x20	1.5mm x20	1.5mm x20	1.5mm x20	1.5mm x20		
ALU RING BOX 2 mm 065703	2mm x100												



STUDS HOLDER BOX 350 064591

x1	x1	x1	x1	x1	x1

Joint rings for
mandrel Ø 4/5/6
x 2
060814

GYSPOT ARC PULL 700 - ACCESSORIES & CONSUMABLES

x100 064607	x1 067721	x1 059634	x1 059641	x2 049000	x1 067721
x100	x1	x1	x1	x2	
x100 064607	x1 067721	x1 059634	x1 059641	x1 059610	x1 067721
x100	x1	x1	x1	x1	x2

			I ₂	SYNER-GIC		U ₂		kW					ArcPull	ArcPull + gun
MADE IN FRANCE	60974-1	50/60 Hz	A	■	Acier/Steel	Alu	V	A	OK	OK	32 x 32.4 x 41	16 kg	19.3 kg	
		3x 400 V 3x 480 V	10 · 680		Manual + Digital Gun Motion Control		20.4 · 44 V	20 A (D) 16 A (D)	35 kW					





FAST DENT PULLING



ACIER / STEEL / STAHL

EASY TOOL CONNECTION




MANUSPOT = 050679



MANULINER 050471



MANULINER/GUN 056831



FAST & EASY



RINGMATIC 052154

included (x 50)



LAMPE LIGNE DROITE - Straight line lamp - Dentline-laser

056770



QUICK SPOT AIR GUN V2

057340

LIGHT 920 g



QUICK SPOT AIR GUN V2 + Mini-fraiseuse - Mini-Druckluftfräser

065567



ALU

ARC PULLER PREMIUM

ULTRA RESISTANT No deformation

Full rotation GRIP


Multi positions

065161



ANNEAUX DE TIRAGE RAPIDE - Fast pulling rings

058743




MARTEAUX ALU - Alu hammers

020986



ALU PULLER

051003



ASPIRATEUR PNEUMATIQUE POUR POUSSIÈRES ALUMINIUM (ATEX) - Pneumatic alu dust atex vacuum cleaner

058866

Capacity : 25 l
Working air pressure : 6 bar
Air consumption at 6 bar : 800 l/min
Suction connection : 50 mm
Max suction capacity : 150 m³/h
Max vacuum level : 2000 mm H₂O
Recommended compressor power : 7.5 HP
74 x 45 x 45 mm
18 kg



Décapeur thermique - Heat gun - Heißluftpistole

I : 100/300°C (450 W)
II : 300/650°C (1500 W)
Air flow : 450 l/min



Pistolet à air chaud autonome à gaz - Gas hot air gun

060777



Lampe à souder - Blow torch - Lötlampe

052741



Novacet + (Butane/propane/propylene) 380 ml/220 g

HIGH QUALITY



Brosses - Brushes - Bürsten - Broses - Cepillos

044258



Crayon marqueur thermique - Thermal marking pencil

052765




Thermomètre infrarouge - Infrared Thermometer

052994



Spray refroidisseur - Freezer spray

048898



Spray barrière thermique - Heat barrier spray

054325



MARTEAUX INERTIE

- Slide hammers - Ausbeulhammer

COMPLETE 057272




Clous - Nails - Nägel

1,1 kg 041813





Rondelles - Washers - Ringe






1,7 kg 051201



COMPLETE KIT 051225



STANDARD



Poignée de tirage 3 dents 057326 - Pulling handle 3 claws - Handzugkralle 3-fach


057302

Poignée de tirage 2 dents 057319 - Pulling handle 2 claws - Handzugkralle 2-fach


Alu Puller 051003







Griffes - Gripping hook head - Ausbeulhaken



Compatibility: BASIC PREMIUM



PREMIUM



Arc Puller Premium 065161



ULTRA LIGHT

ULTRA ERGONOMIC

ULTRA RESISTANT No deformation

PERFECT BALANCE

Slide & Lock



Full rotation



Multi positions



Options



NEW

Ø M10 / M14

067745

NEW

Ø M10 / M14


NEW

NEW

NEW



CHARIOTS - Trolleys



Compatibility

GYSPOT	Spot 600	Spot 1000	Spot 800	Universal 800	Spot 1600	Dentstation Pro
2600, 2700	✓	✓	✓		✓	✓
34.02/04	✓	✓	✓		✓	✓
3902/04	✓	✓	✓		✓	✓
PRO 230/400	✓	✓	✓		✓	✓
EXPERT 200/230/400	✓	✓	✓		✓	✓
ALU PRO FV	✓		✓		✓	✓
COMBI 230 E PRO					✓	✓
ARCPULL 200/350				✓	✓	✓



DENT PULLING
WORKSTATIONS

UNE SOLUTION COMPLÈTE
A COMPLETE SOLUTION
KOMPLETTLÖSUNGEN

EASYLINER

GYSPOT (guns & consumables included)	SPOT 1000 053540	Levelling bar double action 053564 + Dent box easy 053632
39.02 053618	GYSPOT 39.02	✓

ALL IN 1 BOX

PROLINER

GYSPOT (guns & consumables included)	UNIVERSAL 800 051331	Cable support 052284	Levelling bar double action 053564 + Dent box bar 050037
39.02 035775	GYSPOT 39.02		✓
39.04 035782	GYSPOT 39.04		✓
PRO 230 035799	GYSPOT PRO 230		✓
PRO 400 035805	GYSPOT PRO 400		✓

GYSPOT (guns & consumables included)	UNIVERSAL 800 051331	Cable support 052284	Alu puller 051003
ALU PRO FV 035836	GYSPOT ALU PRO FV	✓	✓

GYSPOT (guns & consumables included)	Weld 810 037489	Cable support 052284	Arc puller premium 065161
ARC PULL 200 065260	GYSPOT ARC PULL 200	✓	✓



✓ 39.02

EASYLINER ACIER / STEEL / STAHL

✓ 39.02, 39.04
✓ PRO 230, PRO 400

PROLINER ACIER / STEEL / STAHL

✓ ALU PRO FV

PROLINER ALU

gas support

✓ ARC PULL 200

ALU (ACIER / STEEL / STAHL)

SPEEDLINER

														
GYSPOT (guns & consumables included)	SPOT 1600 051348	Cable support 052284	Fixing kit x2 051362	Levelling bar 050693	Multihook heads 049758	Alu Box Ø5 & 6 048195	Alu puller 051003	Alu hammers 020986	Set of pencil punches with 6 teflon tips 052888	Mini disc sander 051829	051423	Infrared Thermometer 052994	Thermal marking pencil 052765	
ALU PRO FV 036055	GYSPOT ALU PRO FV													
✓														
														
GYSPOT (guns & consumables included)	SPOT 1600 051348	Cable support 052284	Manuspot 050679	Levelling bar 050693	Levelling lever 050686	052451	Multihook heads 049758+049734	3 lifting rods 050792	Dent box consumables 051515	Magnetic earth 049666	Ringmatic 052154	Alu puller 051003	Arc puller premium 065161	4 m³ support 059665
39.02 035010	GYSPOT 39.02													
39.04 035027	GYSPOT 39.04													
PRO 230 036017	GYSPOT PRO 230													
PRO 400 036024	GYSPOT PRO 400													
EXPERT 200 028180	GYSPOT EXPERT 200													
EXPERT 230 066984	GYSPOT EXPERT 230													
EXPERT 400 028197	GYSPOT EXPERT 400													
✓														
✓														
COMBI 230 E.PRO 036062	GYSPOT COMBI 230 E.PRO	✓	×2											
ARC PULL 200 + EXPERT 200 065284	GYSPOT ARC PULL 200 + EXPERT 200													
+ EXPERT 230 066991	GYSPOT ARC PULL 200 + EXPERT 230	✓	×2											
+ EXPERT 400 065291	GYSPOT ARC PULL 200 + EXPERT 400													
without generator 035058														
✓														

SPEEDLINER PREMIUM

														
GYSPOT (guns & consumables included)	SPOT 1600 051348	Cable support 052284	Fixing kit 051362	Premium levelling bar 059306	Hook head 059382	3 lifting rods 050792	Alu Ring Box 1 mm 059412	Arc puller premium 065161	Alu hammers 020986	Set of pencil punches with 6 teflon tips 052888	Infrared Thermometer 052994	4 m³ support 059665		
ARC PULL 200 065277	GYSPOT ARC PULL 200													
														
GYSPOT (guns & consumables included)	SPOT 1600 051348	Cable support 052284	Manuspot 050679	Ringmatic 052154	Manual pulling handle 057289	Premium levelling bar 059306 + Premium levelling lever 059290	220 mm pads 061293	Hook head 049758 + 059658 + 059382	3 lifting rods 050792	Dent box consumables 051515	Magnetic earth 049666	Fast pulling rings (x5) 058712 + Alu puller 051003	Arc puller premium 065161	4 m³ support 059665
PRO 230 028265	GYSPOT PRO 230													
PRO 400 028272	GYSPOT PRO 400													
EXPERT 200 028289	GYSPOT EXPERT 200													
EXPERT 230 067004	GYSPOT EXPERT 230													
EXPERT 400 028302	GYSPOT EXPERT 400													
COMBI 230 E.PRO 028319	GYSPOT COMBI 230 E.PRO	✓	×2											
ARC PULL 200 + EXPERT 200 065307	GYSPOT ARC PULL 200 + EXPERT 200													
+ EXPERT 230 067011	GYSPOT ARC PULL 200 + EXPERT 230	✓	×2										✓	✓
+ EXPERT 400 065314	GYSPOT ARC PULL 200 + EXPERT 400													





✓ ALU PRO FV

✓ 39.02, 39.04
✓ PRO 230, PRO 400
✓ EXPERT 200, EXPERT 230, EXPERT 400

SPEEDLINER ALU

ACIER / STEEL / STAHL



✓ COMBI 230 E.PRO
✓ ARC PULL 200 + EXPERT 200
✓ ARC PULL 200 + EXPERT 230
✓ ARC PULL 200 + EXPERT 400

SPEEDLINER PREMIUM ALU

ACIER / STEEL / STAHL

COMPLETE SYSTEM

★ ★ ★



✓ COMBI 230 E.PRO
✓ ARC PULL 200 + EXPERT 200
✓ ARC PULL 200 + EXPERT 230
✓ ARC PULL 200 + EXPERT 400

SPEEDLINER ALU + ACIER / STEEL / STAHL




✓ ARC PULL 200

✓ PRO 230, PRO 400
✓ EXPERT 200, EXPERT 230, EXPERT 400

SPEEDLINER PREMIUM ALU

ACIER / STEEL / STAHL



DENTSTATION

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

39.02 028012	GYSPT 39.02														
39.04 028029	GYSPT 39.04														
PRO 230 036420	GYSPT PRO 230														
PRO 400 036437	GYSPT PRO 400														
EXPERT 200 036734	GYSPT EXPERT 200														
EXPERT 230 067028	GYSPT EXPERT 230														
EXPERT 400 036741	GYSPT EXPERT 400														

COMBI 230 E.PRO 036444	GYSPT COMBI 230 E.PRO	✓	x2												
ARC PULL 200 + EXPERT 200 065321	GYSPT ARC PULL 200 + EXPERT 200														
+ EXPERT 230 067035	GYSPT ARC PULL 200 + EXPERT 230	✓	x2												
+ EXPERT 400 065338	GYSPT ARC PULL 200 + EXPERT 400														

DENTSTATION PREMIUM

--	--	--	--	--	--	--	--	--	--	--	--	--	--

PRO 230 028067	GYSPT PRO 230												
PRO 400 028074	GYSPT PRO 400												
EXPERT 200 036758	GYSPT EXPERT 200												
EXPERT 230 067042	GYSPT EXPERT 230												
EXPERT 400 036765	GYSPT EXPERT 400												

COMBI 230 E.PRO 036772	GYSPT COMBI 230 E.PRO	✓	x2										
ARC PULL 200 + EXPERT 200 065345	GYSPT ARC PULL 200 + EXPERT 200												
+ EXPERT 230 067059	GYSPT ARC PULL 200 + EXPERT 230	✓	x2										
+ EXPERT 400 065352	GYSPT ARC PULL 200 + EXPERT 400												

✓ 39.02, 39.04
✓ PRO 230, PRO 400
✓ EXPERT 200, EXPERT 230, EXPERT 400

DENTSTATION ACIER / STEEL / STAHL

✓ COMBI 230 E.PRO
✓ EXPERT 200 + ARC PULL 200
✓ EXPERT 230 + ARC PULL 200
✓ EXPERT 400 + ARC PULL 200

DENTSTATION PREMIUM ALU + ACIER / STEEL / STAHL

COMPLETE SYSTEM

✓ COMBI 230 E.PRO
✓ EXPERT 200 + ARC PULL 200
✓ EXPERT 230 + ARC PULL 200
✓ EXPERT 400 + ARC PULL 200

DENTSTATION ALU + ACIER / STEEL / STAHL

✓ PRO 230, PRO 400
✓ EXPERT 200, Expert 230, EXPERT 400

DENTSTATION PREMIUM ACIER / STEEL / STAHL

PULLING SYSTEMS

ÉQUERRE DE TIRAGE


- Draw aligner - Schnellausbeul-Richtausleger

052475



Youtube



1.2 t max



052321 (included)

OPTIONS

Option
Huile hydraulique 1L
- Hydraulic oil 1L
053397




OPTIONS

Bras de bas de caisse
- Rocker panel arms
for draw aligner
- Abstütztraverse
für Richtausleger

052581





7 kg




SYSTÈME DE TIRAGE SMART PULLER SILVER

- Smart puller silver pulling system - Schnellausbeul-Richtausleger Smart puller silver

054820



- Portières - Doors - Türen
- Montants - Supports - Scheibenrahmen
- Capot - Hood/Bonnet - Haube
- Armature - Armature - Rahmen
- Bas de caisse - Rocker panel - Schweller
- Ailes - Wings - Kotflügel
- Toit - Roof - Dach
- Hayon - Hatchback - Heckdeckel



Autorobot

INCLUDED

Accessories






Youtube



ELECTRO POWER - Zug-Druckpresse

with accessories:
057425

-PULLING POWER: 5 Ton.
-PUSHING POWER: 5 Ton.
-PISTON STROKE: 130 mm



Applications / Applicazioni



INCLUDED



Li-Ion battery (included)
058514

INCLUDED



Standard kit : 425x620x210 mm
Standard kit Total weight: 18 kg
057401

Accessories kit : 425x620x150 mm
Accessories kit Total weight: 20 kg
057418

BASIC 4T
052345

BASIC 10T
052338

PRO 4T
057432

PRO 10T
057449

OPTIONS

Huile hydraulique 1L
- Hydraulic oil 1L
053397

BARRE D'ANCRAGE - Anchor bar - Türspanner

MADE IN TAIWAN

053045

910 > 1130 mm

053052

1540 > 1930 mm

MESURES - Measuring tools - Vermessung

BODYMETER, Mechanical measurements

052130

250 > 2230 mm

GYSMETER, Electronic measurements

052093

400 > 2650 mm

Measuring report

Light weight measuring arm with an easy to read digital display

SATELLITE INTELLIGENT - Smart Satellite - Satellite Komplett-Kit

The best from **Autorobot**
www.autorobot.com/pdf/7148_ENG.pdf
MADE IN FINLAND

PACK SATELLITE
= 1 + 2 + 3 + 4 + 5 + 6
052727

1

SATELLITE
- Satellite - Satellite Basisbügel-Set

052710

2

KIT MAC PHERSON (A)
- Mac Pherson Kit - Befestigungskit-Federbein (McPherson)

052703

3

BARRE POUR TIRER/POUSSER
- Push/Pull Bar
- Zug/Druck-Stangenset

052673

4

SATELLITE (B)
- Bügelverlängerung

052680

5

SANGLE DE SÉCURITÉ
- Safety Strap - Sicherungsgurt

044036

6

DOUBLE PINCE SATELLITE (C)
- Double Clamp Satellite
- Satellite Doppelklemme

052697

PINCE DE TIRAGE MULTI-USAGE
- Versatile pulling clamp
- Multifunktions-Zugklemme

053571

Autorobot

POWER-PULLER 4T


059740

HIGH QUALITY

CROCHET DE TIRAGE - Frame Straightening - Ziehwerkzeuge

Kit crochet de tirage « boomerang »
- Boomerang pulling hook set
- Zughaken Set «Boomerang»

052659



450 mm, 41 mm, 230 mm, 57 mm, 92 mm, 53 mm, 94 mm, 56 mm, 230 mm, 160 mm

PINCES DE TIRAGE - Frame Straightening - Ziehwerkzeuge

Mini pince de tirage à blocage manuel
- Manual-locking pull clamp
- Mini Klemme von Auflage in Handblockieren

056855

5 t



68 mm, 76 mm, 88 mm, 216 mm, 118 mm, 52 mm, 35 mm

Pince de tirage à blocage automatique
- Self-locking pull clamp
- Selbstklemmende Zugklemme

052642

6 t




290 mm, 280 mm, 59 mm, 68 mm, max 12 mm

PINCE PIVOTANTE - Swivel clamp

060968

6 t



240 mm, 100 mm

Pince de tirage à blocage automatique
- Self-locking pull clamp
- Selbstklemmende Zugklemme

060944

6 t




270 mm, 100 mm

Pince de tirage à angle droit
- Right angle pull clamp
- Zugklemme 90° Winkel

052666

6 t




260 mm, 100 mm, 170 mm

PASSAGE DE ROUE - Arch hooks

Crochet passage de roue petite dimension
- Small arch hook


060975



155 mm, 1.5 t

Crochet passage de roue grande dimension
- Large arch hook

060982




315 mm, 1.5 t

CHAÎNES DE TIRAGE - Frame Straightening - Ziehwerkzeuge

Chaîne de tirage 10 mm
Body chain 10 mm

061255




2,5 m

Charge de rupture - Breaking load - Zuglast : 12 t

Raccord de chaîne double crochet
- Chain joint double grab hook


061156



210 mm, 6 t

Raccord de chaîne pour deux pinces
- Chain joint for two clamps


061163



280 mm

NEW

067745




Ø M10/
M14

PINCES DE TIRAGE LARGES - Wide pull clamps

Pince de tirage large 2 directions
- 2-way wide serrate clamp

061217



5 t, 3 t, 120 mm

Pince de tirage large multidirections
- Multi-way wide serrate clamp

061224




5 t, 3 t, 120 mm

PINCE DE TIRAGE MULTIPLE - Multiple pull clamp

Pince multiple répartition de charge
- Load spread multi clamp

060999




5 t, 120 mm, 450 mm

PINCES DE TIRAGE FAIBLE LARGEUR - Small pull clamps

Pince bec de canard
- Long nose clamp


060951



2 t, 245 mm, 30 mm

Pince de tirage faible largeur
- Small mouth pull clamp

061231



5 t, 210 mm, 45 mm

Pince contournement de rebord
- Box clamp

061170



3 t, 220 mm, 35 mm

PINCE CISEAUX LARGEUR 45 MM - 45 mm scissors clamp

061187



3 t, 280 mm, 45 mm

PINCE DE TIRAGE POUR ANGLE 90° - 90 Degree corner clamp

059757



35 mm, 90°, 192 mm, 72 mm

PINCE DE TIRAGE TYPE C - C type clamp

061200




5 t, 180 mm, 70 mm

KIT MARTEAU À INERTIE - Inertia hammer kit - Ausziehhammer kit

Kit marteau à inertie
- Inertia hammer kit
- Ausziehhammer kit


051928



6 kg, 67 cm, M17

Marteau à inertie 6+3 kg avec griffe de chaîne
- Inertia hammer 6+3 kg with chain hook
- Ausziehhammer 6+3 kg

061194



6+3 kg, 94 cm, Ø 20 mm, 19 cm



Débosselage rapide et sans peinture
- PDR: Paintless Dent Repair
- Lackschadenfreies Ausbeulen

PAINTLESS DENT REPAIR



Youtube



MADE IN FRANCE

	50 Hz	A	W	kHz	PFC	FV	Liquid Cooling	Cable (m)	Inductor	cm	kg
	230V, 1~	16	2.400	35+120	■	■	—	2	2,5	22 x 36 x 27	7,5

OPTION
Spray refroidisseur
- Freezer spray
-50 °C
400 ml
(x 12)
048898

INDUCTEUR DÉBOSELAGE - Dent Pulling Inductor - Dellenmatrix


GYSDUCTION AUTO DENT REPAIR 054981
= GYSDUCTION AUTO + Dent pulling inductor 054776



Licensed by
BETAG.Innovation

INSPECTION CARROSSERIE - Dent Pulling Inductor - Ausbeul Induktor


Planche flexible pour inspection
de la carrosserie - Ausbeul-Matrix
Ø 800 mm
059122



KIT MAGNÉTIQUE DE DÉBOSELAGE SANS PEINTURE - Paintless Dent Repair magnetic kit - Magnetisches Ausbeul-Kit


053168

EXELTOOLS



LAMPES DE DÉBOSELAGE - Paintless Dent Repair lamps - Ausbeullampe

056749
Made in Taiwan



ULTRA LIGHT CARBON X40 PW 053175


EXELTOOLS



GLUE PULLER PRO (Acier/Alu • Steel/Alu)




MADE IN FRANCE





Glue Lifter
057364

Glue Puller PRO
058699


Glue Puller PRO
EXPORT
059160




BARRETTES ANNEAUX PLASTIQUE - Plastic Multipads Ösen-Klebe pads



OPTIONS




Poignée de tirage
3 dents - Pulling
handle 3 claws -
Handzugkralle
3-fach
057326



Marteau à inertie 380 g
- Slide hammer 380 g
- Gleithammer 380 g
050051

Option
050969




Marteau à inertie 500 g
- Slide hammer 500 g
- Gleithammer 500 g
057906

acier-steel-Stahl
1.6 kg



Jeu de 2 couteaux pour
découpe de renforts collés
- Set of 2 knives to cut glued
reinforcements
- 2-er Set Messer zur
Klebeapadentfernung
057913

KIT DÉBOSELAGE SANS PEINTURE - Dent Pulling Kit (paintless) - Dellenausbeulhebel-Set



33
parts

051959



KIT COUSSINS GONFLABLES - Air Cushion Kit - Luftpolster-Spreizkissen-Satz



051942

KIT DE 6 COINS DE FRAPPE - Set of 6 pencil punches - Beulenstemmer-Satz mit 6 Tefloneinsätzen



MADE IN FRANCE




MARTEAU INERTIE PNEUMATIQUE - Pneumatic inertia hammer - Unterdruck-Schlaghammer

051904



MARTEAU À INERTIE À VENTOUSES (POMPAGE MANUEL) - PUMP AIR SUCTION SLIDE HAMMER - Man. Unterdruck-Schlaghammer



048683



33

PAINTLESS DENT REPAIR

DENT PULLING



SPOT LIFT

MOBILE LIFTS

max Air 8 bar


SAFE EN 1494

max 2.2 t



064843

HEALTH CARE



Haute stabilité - High stability

Included
220 bar
053588

NEW

SAFE
EN 1494

OPTIONS

Huile hydraulique -
Hydraulic oil
1 l
053397Outil de levage pour bas de caisse
- Rocker panel lifting tool
- Auflage für Seitenschweller
053236

SPOT LIFT PRO


max Air 8 bar

SAFE EN 1494



max 2.2 t



053557




OPTION

SAFE
EN 149460 cm (max)
14 cm (min)


OPTIONS

Réhausseur pour 4x4 et utilitaires
- Height adjuster for 4x4 & utility vehicles
- Erhöhung f. 4x4 und Leicht-LKWPatins - Pads
for Audi & BMW
(x 2)
053717Rampes - Ramps
700 x 200 x 80 mm
(x 2)
056787

AUTO ROLL

min 500 mm
max 1700 mm (AUTOROLL 1.0m)
max 2240 mm (AUTOROLL 1.55m)
360°
2.5 t maxAUTO ROLL 1.0 m / 1.2 t
059047AUTO ROLL 1.55 m / 1.2 t
063839

AFTER LIFT AUTO ROLL

1 2
360°
2.5 t max067967
45 KgNEW
03/2021

SPOT LIFT PRO MOB



max Air 8 bar

SAFE EN 1494

max 2.2 t




055896

SAFE
EN 1494


OPTIONS

SPOT LIFT PRO MOB
Réhausseur pour 4x4 et utilitaires
- Height adjuster for 4x4 & utility vehicles
- Erhöhung f. 4x4 und Leicht-LKWPatins - Pads
for Audi & BMW
(x 2)
061606Rampes - Ramps
700 x 200 x 80 mm
(x 2)
056787TABOURETS DE MANUTENTION
- Wheel trolleys - Radhocker

048768

CHARIOTS DE MANUTENTION PRISE SOUS ROUE
- Wheel trucks - Kfz-Montagelift, fahrbarChariots hydrauliques (x 2) - Hydraulic jacks (x2)
053243Chariots mécaniques (x 2)
- Mechanic jacks (x2)
064126

NEW

Option
Support - Stand
064133

Made in P.R.C.



35

SPOT LIFT

MOBILE LIFTS

ERGO LIFT 650

220 V, 1~
SAFE EN 1493
max 2 t



Youtube

056817



220 V, 1 ph
0,75 kW

Included
Huile hydraulique -
Hydraulic oil
5l
062160



Pack ERGO LIFT 650
+ 4 Wheel trolleys (x4)


068544

NEW



QUICK LIFT L520E

062184




220 V, 1 ph
0,75 kW


Included
Huile hydraulique -
Hydraulic oil
5l
062160



Youtube



Made in China



SAFE
EN 1493


2.5 t max

OPTIONS

Patins pour SUV -
Pads for SUV
x 4
065017



Extensions 1680 mm
x 2
066328




AIR JACKS



MADE IN
HIGH
QUALITY
ITALY


AIR JACK VAN 2T
058330

2T max



AIR JACK CAR 2T
058323



2T max



MANUAL WHEEL LIFT

Lève roue à treuil
- Wheel lift trolley
- Radmontage-Heber
061385

min : R13 / 135 / 65
max : R22 / 300 / 35
40 kg max



OPTIONS

Huile hydraulique
- Hydraulic oil
1l
053397

Clé à choc
- Impact wrench
max 20 kg

Fixation
36 x 36 mm
→ 44 x 44 mm

TRUCK
MAINTENANCE

TROLLEY IW1

max 6.5 bar

6.5 bar


063136




Youtube



Liberté de mouvement
- High dexterity



Grande maniabilité et stabilité
- High maneuverability & stability



MOBILE LIFTS

37

GYS

36

GYSPOT

SPOT WELDING




PORTASPOT 230


6 300 A 120 daN

Air cooled


230V
022256



ARMS Ø 23 mm




PX1 (included)
047945




PX2
047938



PX3
047921



PX4
047914



PX5
048690

ELECTRODES



EX40
Short electrode 40 mm
047884



EX60
Medium electrode 60 mm
047891



EX80
Long electrode 80 mm
047907


CAPS & ACCESSORIES




Caps type F (x 6)
049970



Caps remover
050846



Lame- Blade
052857



Affuteur de caps - Cap grinder
048966

	 I _{AM}	RMS	MAX		U ₀	Cable 	100% CU		
50/60 Hz	A	A	A	mm	V	 m Ø mm ²		(no arm) cm	kg
1 x 230V	16(D)	6 300	8 900	2+2	2,45	2,5 3x2,5 H05VVf	OK	36x29 x10	10



GYSPOT

32D-X

7 500 A 500 daN



Double pressure



Ø8mm



6 kg
(included RX1)

Air cooled

2 x 400V
019881



GYSPOT

32D-C

7 500 A 300 daN



Large opening



360°



Ø8mm



4 kg (included RC1)

Air cooled

2 x 400V
019898



GYSPOT **INVERTER**

100R-X

10 000 A 500 daN

For mild steel,HSS, UHSS



Double pressure



Ø8mm



6 kg
(included RX1)

Air cooled

Traceability software
Save spot welding
configuration and export data





3 x 400V
019911



GYSPOT **INVERTER**

100R-C

10 000 A 300 daN

For mild steel,HSS, UHSS



Double pressure



Large opening



360°



Ø8mm



4 kg (included RC1)

Air cooled

Traceability software
Save spot welding
configuration and export data





3 x 400V
019928



GYSPOT **INVERTER**

100R-CX

10 000 A 500 daN (X)
300 daN (C)

For mild steel,HSS, UHSS



Double pressure



Large opening



360°



Ø8mm



4 kg (included RC1)

Air cooled

Traceability software
Save spot welding
configuration and export data





3 x 400V
022317



OPTIONS



050068



x10
(x20 : 052239)



x6
(x6 : 049994)



x18
(x6 : 049987)



x18
(x6 : 049970)



Housse de protection
- Protection cover
- Schutzhaube
052260



048935



x40
(x6 : 049987)



CE MARK
050914



RC4
8 bar/120 daN,
for 32D-C, 100R-C
& 100R-CX
052253



051614

INCLUDED									
32D-X	019881	■	■	■	■	■ Pro	■	■	■
32D-C	019898	■	■	■	■	■ Pro	■	■	—
100R-X	019911	■	■	■	■	■ Pro	■	■	■
100R-C	019928	■	■	■	■	■ Pro	■	■	—
100R-CX	022317	■	■	■	■	■ Pro	■	■ x2	■

				
RX2 051041	RX3 051058	RC1 051065	RC2 051072	RC3 051089
■	■	■	■	■
—	—	■	■	■
■	■	■	■	■
—	—	■	■	■
—	—	■	■	■

 MADE IN FRANCE	 62135			RMS	MAX	 mm	Uo	Cables				100% CU		
		50/60 Hz	A D curve	A	A		V		Air Cooled	 m	Ø mm²		cm	kg
GYSPOT 32D.X GYSPOT 32D.C	2 x 400 V	32 (13 kVA) 40 (16 kVA)	7 500	10 500	3 + 3	1,2 + 3	11			2,2	200	OK	55 x 75 x 190	78
										2,5	150			
									—	8	3 x 6 H07RNF			
GYSPOT 100R.X GYSPOT 100R.C GYSPOT 100R.CX	3 x 400 V	32 (22 kVA) 40 (28 kVA) 50 (35 kVA)	10 000	—	3 + 3 + 3	1,5 + 3	16			2,5	200	OK	70 x 99 x 208	107
										2,5	150			108
									—	8	4 x 6 H07RNF			95.5

GYSPOT INVERTER

AIR COOLED



<

	020948
 Gyspot BP-LCX-s7	220V
 Monopoint/Spot 049291	■
 Spotter box pro (p.10) 050075	■
 Inertia hammer 049482 + 049802	■
 Contact grease 050440	■
 Caps remover 050846	■
 Arm panel	■
 C1 019140	■
 X1 050501	■
 C2 + C3 + C4 019126	
 C6 019775	
 X2 050518	
 Liquid cooling (10l) 052246	



OPTIONS			
 050068  x10 (x20 : 052239)  x18 (x6 : 049987)  x6 (x6 : 049994)  x18 (x6 : 049970)	 SD CARD 050914 Liquide de refroidissement Cooling liquid Kühlmittel Enfriamiento liquido Refrigeração liquida 052246	 Housse de protection - Protection cover - Schutzhaube for BP & PTI 050853	

	4M 022188	4M 020894	4M 067998
	6M 022195	6M 020900	
	220V	400V	
Gyspot Evolution PTI			
	■	■	■
Contact grease 050440			
	■	■	■
Caps remover 050846			
	■	■	■
Arm panel			
	■	■	■
C1 021402			
			■
C2 + C3 + C4 021457			
			■
C6 019775			
			■
Gyro 360° 051720			
			■
Complete gun kit 067318			
			■ (x3)
Liquid cooling (10L) 051744			



 MADE IN FRANCE	 62135								Cables			100 % CU		
		50/60 Hz		A D curve	A	V						cm	kg	
GYSPT B.P.LCX-s7 220 V  	3 x	200	60 (21-25 kVA)	10 500	15	3 + 3 + 3	1,5 + 3	2,5 m, Ø 200 mm ² , liquid	2,5 m, Ø 150 mm ² , air	8 m, 4x6 H07RNF (BP 220V: 4x6AWG)	OK	65 x 80 x 205	170	
		208	80 (28-33 kVA)	11 000	15,5									
		220	100 (35-41 kVA)	12 000	17									
		240		12 500	18									
GYSPT EVOLUTION PTI-s7	3 x 400 V		16 (11 kVA)	11 500	8	3 + 3 + 3	1,5 + 3	4 m, liquid		8 m, 4x4 H07RNF	OK	65 x 80 x 230	91	
			20 (14 kVA)	14 500				6 m, liquid	OPTION 067318 :					
GYSPT EVOLUTION PTI-s7 220 V  	3 x	200	30 (10-12 kVA)	12 500	6,95			4 m, liquid	1.6 m, Ø 200 mm ²	8 m, 4xAWG8 (SOOW)				
		208	40 (14-16 kVA)	13 000	7,2									
		220	50 (17-21 kVA)	14 500	8			6 m, liquid						
		240		14 500	8,3									

FOR GYSPOT 32D-X, 100R-X, BP-LX, BP-LCX


550 daN

6,5 kg including X1


- DOUBLE PRESSURE
- LIQUID COOLED
REFROIDISSEMENT LIQUIDE
- Ø 10 mm




X Arms - Caps Ø13 mm




X1 8 bar/550 daN
050501




X2 8 bar/400 daN
050518




X4 8 bar/120 daN
050532




X5 8 bar/200 daN
050549




X4A 8 bar/150 daN
020702



X4B 8 bar/150 daN
020719




X4C 8 bar/150 daN
020726



X6 8 bar/400 daN
050587

X4 (A, B & C) combinations

- X4A + X4A
- X4A + X4B
- X4B + X4B
- X4A + X4C
- X4C + X4C
- X4B + X4C



X11 3 bar/150 daN
051607


X ARMS PANELS

X4A (x2) + X5 + X2
022324



X arms support
021471

X4A (x2) + X4B + X4C + X2
020733



X arms support
021471

Remote control (BP)



Digital screen control
Change Mode & Parameters



X clamp control



C clamp control




C ARMS PANELS



C2
+ C3
019126




C2
+ C3
+ C4
021457



C2
+ C3
+ C4
060821



C2 + C3 + C5 + C6
= 051553
C2 + C3 + C5 + C6 + C9
= 050044



C2 + C3 + C6 + C12
= 061286
C2 + C3 + C6 + C12 + C9
= 061316

FOR GYSPOT BP-LCX, BP-LC

550 daN

6,5 kg including C1

- DOUBLE PRESSURE
- LIQUID COOLED
REFROIDISSEMENT LIQUIDE
- Ø 10 mm



C Arms - Caps Ø13 mm

Classic arms




CLASSIC FINISH

Bras isolés - Isolated arms - Isolierte Bügel




ELECTRICAL INSULATION




C2 8 bar/550 daN

022386
019133




C6 8 bar/300 daN

022409
019775




C12 8 bar/550 daN

022997




C10 4 bar/150 daN

051638




C5 8 bar/550 daN

022393
019294




C1 8 bar/550 daN

021402
019140



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

X Arms - Caps Ø13 mm




C11 8 bar/550 daN

053649



C4 8 bar/550 daN

021426
019164




C7 8 bar/550 daN

021433
020009

Option for C7




C7-SA (Small Access)
067684




C9 8 bar/550 daN

020078

Option for C9 & C14



C9/C14-SA (Small Access)
067660



C14 8 bar/400 daN

023543

5,7 kg
22% saved

Arm lock pin
062405




550 daN

9,9 kg including C1

- DOUBLE PRESSURE
- AIR COOLED + LIQUID COOLED
DOUBLE REFRIGERATION
AIR + LIQUID
- Ø 10 mm




Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN


021419
019157

Arm lock pin
062405



C8 8 bar/550 daN


021440
020016



C3 8 bar/550 daN

021419
019157

Arm lock pin
062405



SPOT WELDING

 GENIUS



MADE IN FRANCE

ULTRA LIGHT
& COMPACT


6.5 kg
(Gyro & G1 included)

550 daN

 LIQUID COOLED
REFROIDISSEMENT
LIQUIDE

 Ø 10 mm

6.5 kg
(Gyro & G1 included)



OPTIONS



x40
(x6 : 049987)
048935



SD CARD
050914



Liquide de refroidissement
Cooling liquid
Kühlmittel
Enfriamiento líquido
Refrigeração líquida
052246




Housse de protection
- Protection cover
- Schutzhaube

for BP & PTI
050853



10-14 kg
059696

FAST OPEN XL



2 s
80 mm

EASY



GYRO INTEGRATED



360°

PERFECT ELECTRICAL CONNECTION



AUTO



CLICK!

GYSPOT INVERTER
BP-LG

13 000 A
550 daN

For mild steel, HSS, UHSS
Boron steel



 BODYPROTECT
Unique electro-magnetic field protection
by GYS



Traceability software
Save spot welding configuration
and export data

 SD CARD
MEMORY



023451



	023550	023451	023499
 Gyspot BP-LG	220V	400V	
 Monopoint/Spot 049291	▪	▪	▪
 Spotter box pro (p.10) 050075	▪	▪	▪
 Inertia hammer 049482 + 049802	▪	▪	▪
 Caps remover 050846	▪	▪	▪
 Arm support	▪	▪	▪
 G1 022768	▪	▪	▪
 G2 + G3 + G4 022898			▪
 Liquid cooling (10l) 052246			(x3)

 MADE IN FRANCE						Uo		mm		Cables			100 % CU		
		50/60 Hz	A D curve	A	V						cm	kg			
GYSPOT BP.LG 220 V	 	3 x	200	60 (21-25 kVA)	10 500	15	3 + 3 + 3	1,5 + 3	2,5 m, Ø 200 mm ² , Liquid	2,5 m, Ø 150 mm ² air	8 m 4x16 mm ² (6AWG) 500W	OK	65 x 80 x 205	160	
			208	80 (28-33 kVA)	11 000	15,5									
			220	100 (35-41 kVA)	12 000	17									
			240		12 500	18									
GYSPOT BP.LG 400V		3 x 400 V		32 (22 kVA) 40 (28 kVA) 50 (35 kVA)	13 000	16	3 + 3 + 3	1,5 + 3	2,5 m, Ø 200 mm ² , Liquid	2,5 m, Ø 150 mm ² air	8 m 4x6 mm ² H07BNF	OK	65 x 80 x 205	160	

FAST OPEN XL

GYRO INTEGRATED

PERFECT ELECTRICAL CONNECTION

AUTO

NEW



MADE IN FRANCE

TRANSFORMER INSIDE

550 daN
LIQUID COOLED
REFROIDISSEMENT
LIQUIDE
Ø 10 mm


11.3 kg
(Gyro & G1 included)



**Potence électrique - Motorised cable support
- Elektrisch verstellbarer Kabelsupport**



Ergonomic



OPTIONS

048935	050914	052246	050853
--------	--------	--------	--------

GYSPOT INVERTER PTI-G

14 500 A
550 daN

For mild steel, HSS, UHSS **Boron steel**

TRANSFORMER INSIDE

Traceability software
Save spot welding configuration and export data

	024854	024878	068001	024892
Gyspot PTI-G	220 V	400 V	480 V	
Caps remover 050846	■	■	■	■
Arm support	■	■	■	■
G1 022768	■	■	■	■
G2 + G3 + G4 022898			■	
Kit gun 067226			■	
Liquid cooling (10l) 052246			(x3)	

MADE IN FRANCE	50/60 Hz	A D curve	A	V	mm	Cables	cm	kg
GYSPOT PTI.G 220 V	3 x 200 208 220 240	50 (17-21 kVA)	12 500 13 000 14 500 14 500	6.6 6.9 7.3 7.9	3 + 3 + 3 1,5 + 3	6 m, Liquid 8 m 4xAWG8 (500W)	71 x 90 x 200	100
GYSPOT PTI.G 400V	3 x 400 V	25 (17 kVA)	14 500	7	3 + 3 + 3 1,5 + 3	6 m, Liquid 8 m 4x4 mm ² H07RNF	71 x 90 x 200	100
GYSPOT PTI.G 480V	3 x 480 V	20 (17 kVA)	14 500	7	3 + 3 + 3 1,5 + 3	6 m, Liquid 8 m 4xAWG12 (500W)	71 x 90 x 200	100

Included
Cable support
**ULTRA
RESISTANT**



**ELECTRIC
MOTOR**

NEW

**Grande stabilité
- High stability**

OPTIONS

Kit gun PTI-G 067226


300 mm² 1.8 m 300 mm² 1m

FOR GYSPOT BP-LG & PTI-G

G Arms - Caps Ø13 mm

Bras isolés - Isolated arms - Isolierte Bügel


NEW Reversible
for G1, G3, G4,
G5, G8 & G10




Kit de maintenance
connecteurs pince G -
Connectors maintenance
kit for G clamp
067295




G2
8 bar/300 daN
022775




G6
8 bar/550 daN
022812



G7
4 bar/150 daN
022829




G1
8 bar/550 daN
022768



G3
8 bar/550 daN
022782

Option for G1 & G3


G1/G3-SA (Small Access)
067653 (for arms
> 02/2021)



G4
8 bar/550 daN
022799

Option for G4


G4-SA (Small Access)
064478 (for arms < Oct 2019)



G5
8 bar/550 daN
022805

Option for G5


G5-SA (Small Access)
067660



G8
8 bar/550 daN
022836


Option for G8

G8-SA (Small Access)
067677




G10
8 bar/400 daN
067165


5 kg
20% saved




G9
8 bar/550 daN
022881



G9 + Clamp extension
for G-Clamp S/N < Oct. 2019
063419



Option
Compatible
050518



Option
Compatible
050587

Option
SD card
050914

Option
PCB
97449C

BREVETÉ
PATENTED


G X
UNIQUE SYSTEM
by GYS

AUTOMATIC WELDING
FOR X1, X2 & X6

Youtube



CONSUMMABLES X & C - X & C Consumables




Type A
Cor X clamp
Ø 13 mm (x6)
049987



Type D
Cor X clamp
Ø 13 mm (x10)
058507




TYPE G
Ø 13 mm (x10)
059672




Type B
Cor X clamp
Ø 13 mm / Ø 5 mm (x6)
055506




TYPE F
For single sided gun
Ø 13 mm (x6)
049970




Caps inclinés - Beveled
X2, X4, C11 arms
Ø 13 mm (x6)
049994




048935



050068



x10
(x20: 052239)



x18
(x6: 049987)



Graisse contact
Contact grease
050440



Caps remover
050846



Europax
anti-corrosion
052758




Monopoint/Spot
049291

AFFUTEUR DE CAPS PNEUMATIQUE - Pneumatic cap grinder



061484



Lame - Blade
061491

BANC DE TRACTION ARRACHE TÔLE - Steel sheet traction bench - Blech-Zugbank zur Festigkeitsprüfung




052420



052321
(included)

VALISE TEST SOUDURE HLE / THLE - Weld test kit - Schweißtestkit im Hartschalenkoffer

050433



Barre d'arrachage / Traction bar
+ Acier doux / Mild steel 0.65 (x25) + 1.0 (x25)
+ Acier HSLA 360 - HLE 0.8 (x25) + 1.5 (x25)
+ Acier DP600 - THLE/UHLE 1.0 (x25)
+ Acier FB560 - THLE/UHLE 2.5 (x25)

PROTECTION ANTI-ARC 12 V - Anti-arc protection 12V - Lichtbogenschutz 12V - Protección anti-arco 12V

041318



GYRO 360°

for BPLC/BPLCX
051737



10-14 kg

for EVOLUTION
051720



ÉCHANTILLONS DE TÔLES - Sheets set

Acier standard /
Standard steel
0.8 (x65) + 1 (x55) + 1.5
(x35) + 2 (x25)
+ Alu
1 (x45) + 1.5 (x30) + 2 (x20)

055841



CAPTEUR D'EFFORT - Electrode force sensor

052314



KIT DE PURGE RÉSERVOIR - Tank draining kit - Kit zur Tankentleerung

058286



CARTE MÉMOIRE SD - SD memory card




SD CARD
050914

HOUSSE DE PROTECTION - Protection cover - Schutzhaube


for BP
& PTI

050853



LIQUIDE DE REFROIDISSEMENT - Cooling liquid - Kühlmittel - Enfriamento líquido - Refrigeración líquida

052246





GYS PRESS

RIVETING

PNEUMATIC HYDRAULIC



OPTIONS



Support Riveteuse pour changements d'accessoires (bras & matrice)
- Riveting machine support for changing accessories (arms & dies)
- Supportständer
↳ 28 x 40 x 21,5 cm
054158



Chariot-Trolley
↳ 51 x 82 x 74 cm
054233



Chariot+Support-Trolley+Support
↳ 51 x 122 x 74 cm
055391



Capteur d'effort
for GYSPRESS 10T, 8T & 10T PushPull, 10T PP CONTROL
062115



Hydraulic body wrenches
for GYSPRESS 10T, 10T PushPull, 10T PP CONTROL
(x2)
067325



POWER
10t



Levier de décharge
- Discharge lever
- Auslösehebel



Contrôle de la vitesse
- Speed control
- Regelung
Werkzeuggeschwindigkeit



Contrôle de la pression
- Pressure control
- Druckregelung

GYSPRESS 10T

6.5 bar 100 kN

10t



HR110
063310



Strap-Sangle-Gurt



XT11.21 - Extension
for HR110 & HR210
058644



HR arm locker



Standard 8T/10T tool box
053694



Poignée-Handle-Griff



6 x 50 rivets RAP -
Nieten SPR
048706

063303

PUSH PULL SYSTEM by GYS

← PUSH



PULL →

Sélection Push/Pull - Push/Pull selection



GYSPRESS 8T PUSH PULL



GYSPRESS 10T PUSH PULL



Youtube



POWER
8t

UNIQUE
**PUSH
PULL**
SYSTEM by GYS



Contrôle de la vitesse
- Speed control
- Regelung Werkzeuggeschwindigkeit



Contrôle de la pression
- Pressure control
- Druckregelung

GYSPRESS 8T PUSH PULL

8 bar 80 kN

8t



HR15
054219



Strap-Sangle-Gurt



XT11.21 - Extension
for HR110 & HR210
058644



HR arm locker



Standard 8T/10T PushPull
tool box
058361



Poignée-Handle-Griff



6 x 50 rivets RAP -
Nieten SPR
048706

056893



POWER
10t

GYSPRESS 10T PUSH PULL

6.5 bar 100 kN

10t




HR110
063310



Strap-Sangle-Gurt



XT11.21 - Extension
for HR110 & HR210
058644



HR arm locker



Standard 8T/10T PushPull
tool box
058361



Poignée-Handle-Griff



6 x 50 rivets RAP -
Nieten SPR
048706

063853

 MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL					
				cm	kg	cm	kg	
GYSPRESS 10T	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+ -	39.5 x 180	6.2 (HR110 included)	58 x 48 x 15	11.8	
GYSPRESS 8T PUSH PULL	8 bar = 8 t (maxi 10 bar)	0 > 8 bar	+ -	39.5 x 180	5.8 (HR15 included)	58 x 48 x 15	11.7	
GYSPRESS 10T PUSH PULL	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+ -	39.5 x 180	6.7 (HR110 included)	58 x 48 x 15	12.5	

GYSPRESS

RIVETING

55



54



GYPRESS

SYNERGIC RIVETING WORKSTATION

PNEUMATIC HYDRAULIC



UNIQUE
100%
No air inclusion
maintenance free, no oil refill

ACCESSIBILITY

10 languages



★★★★
SYNERGIC
RIVETS
SETTINGS

Main panel

Setup instructions



Results




3 MODES

- MANUAL
- SYNERGIC
- CAR MANUFACTURERS

CAR MANUFACTURERS COMPATIBILITY


- ✓ VW GROUP
- ✓ MERCEDES-BENZ
- ✓ BMW
- ✓ TESLA
- ✓ FERRARI
- ✓ FORD
- ✓ JAGUAR / LAND ROVER

CONNECTIVITY




TRACEABILITY

History data export




SOFTWARE UPDATE

Gyspress evolutions



PUSH PULL SYSTEM by GYS



Sélection Push/Pull - Push/Pull selection

NEW
02/2021



Levier de décharge
- Discharge lever
- Auslösehebel

WORKSTATION GYPRESS 10T PP CONTROL

6.5 bar 100 kN

10 t

063860

included



OPTIONS

Capteur d'effort
for GYPRESS 10T, 8T & 10T PushPull, 10T PP CONTROL 062115



Youtube

Hydraulic body wrenches
for GYPRESS 10T, 10T PushPull, 10T PP CONTROL (x2) 067325



MADE IN FRANCE WORKSTATION GYPRESS 10T PP CONTROL	230 V	AIR BAR 6.5 bar = 10 t (maxi 10 bar)	PRESSURE CONTROL 0 > 6.5 bar	SPEED CONTROL + -	cm N/A	kg N/A (HR110 included)

GYPRESS CONTROL

SYNERGIC RIVETING

57



56



MATRICES - Dies - Matrizen


Drilling Method	Load Capacity (bar)
RAP Ø3.3	3.5
RAP Ø5.3	4.7
RFF Alu Ø6	5.3
RFF Steel Ø6	5.8
RFF Steel Ø8	6.5
Eject & Drilling	8

BOÎTES MATRICES STANDARDS - Dies boxes - Standard-Matrizensätze

 Included **XT31-60** - 60 mm extension for HR3 (use with ST1, T5, T7) **057135**




Idéal aluminium, aciers doux -
Ideal for aluminum, mild steel
066366



Included **XT31-60** - 60 mm extension for HR3 (use with E2, E3, E9, E10) 057135



ADAPTATEURS POUR RIVETS AVEUGLES - BLIND RIVET ADAPTERS




Compatibility	20 kN	24 kN	50 kN
GYSPRESS 8T	✓	✓ (20 kN)	✓ (40 kN)
GYSPRESS 10T	—	✓ (24 kN)	✓ (50 kN)
GYSPRESS 8T PUSH PULL	✓	✓ (20 kN)	✓ (40 kN)
GYSPRESS 10T PUSH PULL	—	✓ (24 kN)	✓ (50 kN)
GYSPRESS 10T CONNECT	—	✓ (24 kN)	✓ (50 kN)

ADAPTATEUR 20 & 24 kN POUR RIVETS AVEUGLES - Blind rivet adapter 20 & 24 kN - Blindnietadapter 20/24 kN



20 kN 150 mm
1.5 kg
059214



20 kN 600 mm
061576



24 kN 600 mm
063822


Pour rivets POP - For BLIND rivets - Für Blindniet

Acier / Steel : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

HIGH ACCESSIBILITY



SPECIFIC STORAGE



INCLUDED (20 kN & 24 kN)

for standard rivets :



Ø 3.2 x 1 059221
Ø 3.6 x 1 059238
Ø 4.0 x 1 059245
Ø 4.5 x 1 059252



058446

OPTION

Buse pour extraction de rivets RAP Ø4
- Extraction nozzle for Ø4 SPR rivets
064683



ADAPTATEUR 50 kN POUR RIVETS AVEUGLES - Blind rivet adapter 50 kN - Blindnietadapter 50 kN



50 kN 1 m
064867

4.0 kg

Réglage de la course de traction - Stroke adjustment
0 → 25 mm

Pour rivets POP - For BLIND rivets - Für Blindniet


Acier / Steel : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

INCLUDED

Kit Standard



Complete kit 065987



OPTIONS

Buse pour extraction de rivets - Extraction
nose-piece
066151



Acier / Steel : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

Extension 160 mm - 160 mm extension - Verlängerung 160 mm
066144



Ø 8.0 → 9.8


Kit Rivets Ø8.0/9.8mm - Ø8.0/9.8mm noze-piece kit - Mundstückkit 8,0/9,8 mm
066045



M5 → M14

M5 → M8

Kit 6 tirants pour pose d'écrous à sertir - Blind rivet
nut pulling adapter kit - Blindnietmuttern-Kit
066076




included

M5	066083
M6	066090
M8	066106
M10	066113
M12	066120
M14	066137

PERFECT COMBO WITH ARC PULL

SPÉCIAL ARRACHAGE DE RIVETS - Special tearing rivets - Spezial-Zugnieten



Tige inox - Stainless steel nail Ø 4 x 50 mm x 100 064607	Canon pour pose de tige inox - Barrel for stainless steel nail welding x 1 059634	Support porte- goujon - Mandrel support x 1 059641	Buse + patin pour pistolet Arc Pull - Nozzle + pad for Arc Pull gun x 1 059641	Mandrin M4 - Mandrel M4 x 2 049000	Canon long - Long barrel x 1 067721
x 100	x 1	x 1	x 1	x 2	x 1

BOÎTE CONSOMMABLES POUR ADAPTATEUR 50kN - Consumables box for 50kN adapter - Zubehörbox für 50 kN Adapter




Écrous à sertir - Blind rivet nuts	M5	M6	M8	M10	M12	M14
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0	1.0 → 3.5	1.0 → 4.0	4.5 → 6.0
x 50	066175	x 50 066182	x 50 066199	x 50 066205	x 50 066212	x 10 066229
+	x 10	x 10	x 10	x 10	x 10	x 5

Goujons à sertir - Blind rivet bolts	M5	M6	M8
mm	22.5 → 27	24 → 28.5	23.5 → 28
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0
x 50	066236	x 50 066243	x 50 066250
+	x 10	x 10	x 10

Rivets aveugles - Blind rivets	Ø 6.4	Ø 9.8
mm	2.8 → 4.8	3.0 → 14.0
x 50	066267	x 50 066274
+	x 10	x 10



GYSPRESS COMPLETE PACKS



GYSPRESS 10T

pack 1 - GYSPRESS 10T 066441	063303				HR210 063327	HR310 063334			
	Accessories	Standard 8T/10T 053694	6 x 50 rivets 048706	HR110 063310					
pack 2 - GYSPRESS 10T 066458	063303				HR210 063327	HR310 063334	50kN adapter 064867	Pulling adapter kit 066076	
	Accessories	Standard 8T/10T 053694	6 x 50 rivets 048706	HR110 063310					
pack 3 - GYSPRESS 10T 064744	063303				HR210 063327	HR310 063334			Trolley+support 055391
	Accessories	Standard 8T/10T 053694	6 x 50 rivets 048706	HR110 063310					

GYSPRESS 8T PUSH PULL

pack GYSPRESS 8T PUSH PULL 058682	056893				HR2 053878	PP HR3 058903			Trolley+support 055391
	Accessories	Standard 8T/10T PP 058361	6 x 50 rivets 048706	HR1S 054219					

GYSPRESS 10T PUSH PULL

pack 1 - GYSPRESS 10T PUSH PULL 066465	063853				HR210 063327	HR310 063334			
	Accessories	Standard 8T/10T PP 058361	6 x 50 rivets 048706	HR110 063310					
pack 2 - GYSPRESS 10T PUSH PULL 066472	056893				HR210 063327	HR310 063334	50kN adapter 064867	Pulling adapter kit 066076	
	Accessories	Standard 8T/10T PP 058361	6 x 50 rivets 048706	HR110 063310					
pack 3 - GYSPRESS 10T PUSH PULL 065789	056893				HR210 063327	HR310 063334			Trolley+support 055391
	Accessories	Standard 8T/10T PP 058361	6 x 50 rivets 048706	HR110 063310					



RIVETEUSE HYDRO-PNEUMATIQUE - Hydropneumatic tool for blind rivets - Hydro-pneum. Blindnietgerät

HR9

Pour rivets POP - For BLIND rivets - Für Blindniet	
Acier / Steel	Ø 3.2/4.0/4.8
Alu	Ø 3.2/4.0/4.8

max 9 000 N

057234

Made in Taiwan



RIVETEUSE HYDRO-PNEUMATIQUE - Hydropneumatic tool for blind rivets - Hydro-pneum. Blindnietgerät

HR14

Pour rivets POP - For BLIND rivets - Für Blindniet	
Acier / Steel	Ø 4.0/4.8/6.4
Alu	Ø 4.0/4.8/6.4

max 14 000 N

057241

Made in Taiwan



RIVETEUSE SUR BATTERIE - Cordless riveter - Akku-Blindnietgerät

TWO

Pour rivets POP - For BLIND rivets - Für Blindniet	
Ø 4.0/4.8/5.0/6.0/6.4	

max 20 000 N (6 bar)
10-20 V universal fast charger (30 min)
2.0 kg



RIVETEUSE MANUELLE - Manual tool for blind rivets - Manueller Blindnietgerät

Pour rivets POP - For BLIND rivets - Für Blindniet	
Acier / Steel	Ø 3.2/4.0/4.8/6./6.4
Alu	Ø 3.2/4.0/4.8/6./6.4

061323



Made in Taiwan

SERTISSEUSE HYDRO-PNEUMATIQUE RIV 998 - Hydropneumatic tool for rivet nuts - Hydro-pneum. Blindnietmutterngerät

RIV

998

Ecrous à sertir
- Sealing nuts
- Blindnietmuttern

Pour la pose d'écrous à sertir M4 à M12

max 19 000 N (6 bar)
livré avec accessoires pour écrous à sertir M4 à M12

055414



RIVETEUSE HYDRO-PNEUMATIQUE - Hydropneumatic tool for blind rivets - Hydro-pneum. Blindnietgerät

HR21

Pour rivets POP - For BLIND rivets - Für Blindniet	
Ø 4.0 → 7.8	

max 21 000 N (6 bar)

055407



included (x3)
058446

For standard rivets
Ø 4.0
51508

For Magnarive rivets
Ø 4.5
51507

Option HR21 extension
100 mm
063105





AUTOGYS

GMAW MIG/MAG SYNERGIC



15 → 200 A
Ideal 0,6 mm




CARMIG

15 → 200 A
400V • 3~

with accessories
032132

NEW
DESIGN



M1 GYS AUTO

15 → 160 A Capacitor

230V • 1~
with accessories
032903

208/240V • 1~
with accessories
032088

T1 GYS AUTO

15 → 200 A


400V • 3~
with accessories
032910

T1 GYS AUTO DV

15 → 200 A

230V • 3~ / 400V • 3~

with accessories
032927



NEW
DESIGN



ACCESSORIES
BOX



SYNERGIC - EASY TO USE

Réglage automatique de la vitesse \ Auto adaptative wire speed
Automatische Einstellung der Drahtgeschwindigkeit

100%
READY



Échantillons de tôles
- Sheets set



M3 GYS AUTO

15 → 160 A Capacitor

230V • 1~
with accessories
032880

T3 GYS AUTO

15 → 200 A

400V • 3~

with accessories
032958

with accessories
032941

T3 GYS AUTO DV

15 → 200 A

230V • 3~ / 400V • 3~

with accessories
032972

NEW
DESIGN



2 x 4 m³
(20L)

ACCESSORIES
BOX

câble secteur -
mains cable
6m



Youtube



65

AUTOGYS

GMAW
FCAW
CARBODY SYNERGIC MIG

OPTIONS








Torche motorisée Spool Gun
- Spool Gun Torch - Spool Gun Brenner



041486
Ideal for
- Acier / Steel / Stahl
- Inox / Stainless steel
- Alu



SPOOL GUN + Support
for M3 & T3 GYS AUTO
038554



Protection gas
Argon+CO₂ (Steel, Inox)
Argon (ALU)/CuSi3/CuAl8)
CO₂ PUR (Steel)

 MADE IN FRANCE	 MADE IN CHINA	 60974/1		 min → max		 Ø mm				EN60974-1 (40°C)		 Ø mm	 Equipement d'origine Original equipment Originalausstattung Equipamiento de fabrica			 Protected & compatible power generator (+/-15%)	
			50/60 Hz	A	A	Reg	100 (spoolgun)	200	300	Electronic Control	IA (60%)	X% (I2 max)	Ø mm			cm/kg	
	■	CARMIG	400 V 3~	10	15 → 200	7	—	■	■		110	150A@25%	0,6 → 1	0,6/0,8	0,8	47x77x79 / 50	5 kVA
	■	M1GYS AUTO	230 V 1~	16	15 → 160	6	option	■	■		90	140A@15%	0,6 → 1	0,6/0,8	0,8	47x77x79 / 46	4,5 kVA
	■		208/240 V 1~														
	■	T1GYS AUTO	400 V 3~	10	15 → 200	7	option	■	■		110	150A@25%	0,6 → 1	0,6/0,8	0,8	47x77x79 / 52	5.2 kVA
	■	T1GYS AUTO DV	230 V 3~/400 V 3~														
	■	M3GYS AUTO	230 V 1~	16	15 → 160	6	■	■	■		90	140A@15%	0,6 → 1	0,6/0,8 0,8/1,0	2 x 0,8	60x90x90 / 58	4,5 kVA
	■		208/240 V 1~														
	■	T3GYS AUTO	400 V 3~	10	15 → 200	7	■	■	■		110	150A@25%	0,6 → 1	0,6/0,8 0,8/1,0	2 x 0,8	60x90x90 / 75	5.2 kVA
	■	T3GYS AUTO DV	230 V 3~/400 V 3~														



MULTIPEARL

GMAW MIG/MAG

INVERTER • SYNERGIC

4
in 1

GAS

NO GAS

MMA

TIG



Youtube

NEW

POWER FACTOR CORRECTION
PFC
EN 61000-3-12
FV
FLEXIBLE VOLTAGE




MULTIPEARL 210-2

200 A

Ø 100/200

P400 PFC FV SR

GAS NO GAS MMA TIG



3 m 2.5 m, 16 mm² 2 m, 16 mm²

065093




MULTIPEARL 210-4 XL

200 A

Ø 200/300

P400 PFC FV SR

GAS NO GAS MMA TIG




3 m 2.5 m, 16 mm² 2 m, 16 mm²

065109

1 MIG / MANUAL


Enter your parameters



Adjust Spot & Delay

2 MIG / SYNERGIC

Easy to use



Select :

1. material
2. Ø wire
3. position
4. thickness

Adjust arc length

Fe	CrNi
AlMg5	CuSi3
AlSi5	AlSi12
CuAl8	F.C.

3 MMA



HotStart

ArcForce

4 TIG lift



Post Gas

Downslope

NEW

POWER FACTOR CORRECTION
PFC
EN 61000-3-12
FV
FLEXIBLE VOLTAGE



10/25 mm²
Ø 9 mm


MULTIPEARL 211-4

200 A

Ø 200/300

P400 PFC FV SR

GAS NO GAS MMA TIG



3 m 2.5 m, 16 mm² 2 m, 16 mm²

065116


PFC POWER FACTOR CORRECTION

185 V 265 V




FV FLEXIBLE VOLTAGE

85 V 265 V



SR SECONDARY REGULATION



OPTIONS



NO GAS

KIT SOUDAGE NO GAZ Ø 0.9
- No Gas Welding Kit Ø 0.9
- Schweißset Fülldraht

TYPE A

MultiPearl 200-2 only
041240

TIG torch kit
SR17 V (valve)

4 m
10/25 mm²
044425



TIG torch kit
SR17 DB

4 m
046108



 MADE IN FRANCE	 EN 60974-1		 A	 I ₂ MMA	 I ₂ TIG	 min+max	MIG										 Ø mm	 MMA	 TYPE	 cm	 kg	 Protected & compatible power generator (+/-15%)
							EN 60974-1 (40°C)		 U _o (V)	 Electronic Control	 m/min	 Ø mm			 Ø mm							
IA (60%) X% (I2 max)		75	75	75	75	75	75	75				75	75	75	75	75	75	75	75	75	75	
MULTI PEARL 210-2	110 V 1~	32	20 ÷ 130	20 ÷ 180	20 ÷ 150	100	150 A @ 22%	75		15			—	0.6 ÷ 1.0	0.9 ÷ 1.2	1.6 ÷ 3.2	A 042339	0.8	25 x 45 x 35	16	7.5 kW	
	230 V 1~	13	20 ÷ 200	20 ÷ 200	20 ÷ 200	130	200 A @ 20%	76		15			—	0.6 ÷ 1.0	0.9 ÷ 1.2	1.6 ÷ 5.0	B 042353	0.8	25 x 55 x 44	20	7.5 kW	
MULTI PEARL 210-4 XL	110 V 1~	32	20 ÷ 130	20 ÷ 180	20 ÷ 150	100	150 A @ 22%	75		15			—	0.6 ÷ 1.0	0.9 ÷ 1.2	1.6 ÷ 3.2	B 042353	0.8	25 x 55 x 44	20	7.5 kW	
	230 V 1~	13	20 ÷ 200	20 ÷ 200	20 ÷ 200	130	200 A @ 20%	76		15			—	0.6 ÷ 1.0	0.9 ÷ 1.2	1.6 ÷ 5.0	B 042353	0.8	25 x 55 x 44	20	7.5 kW	
MULTI PEARL 211-4	110 V 1~	32	20 ÷ 130	20 ÷ 180	20 ÷ 150	100	150 A @ 22%	75		15			—	0.6 ÷ 1.0	0.9 ÷ 1.2	1.6 ÷ 3.2	B 042353	0.8	41 x 73 x 77	37	7.5 kW	
	230 V 1~	13	20 ÷ 200	20 ÷ 200	20 ÷ 200	130	200 A @ 20%	76		15			—	0.6 ÷ 1.0	0.9 ÷ 1.2	1.6 ÷ 5.0	B 042353	0.8	41 x 73 x 77	37	7.5 kW	

GMAW MIG/MAG INVERTER DOUBLE PULSE



Youtube

BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8/1

	AUTOPULSE 320-T3				AUTOPULSE 320-T3 208-240V			
1	1	Ø 200 mm	PP		1	Ø 200 mm	PP	
2	2	Ø 200 mm			2	Ø 200 mm		
3	3	Ø 200 mm			3	Ø 200 mm		



PFC POWER FACTOR CORRECTION

185 V 265 V



AUTOPULSE 320-T3

15 320 A 400V 3~

PFC

036710

AUTOPULSE 320-T3 208-240V

15 320 A 208>240V 3~

PFC


036970

 MADE IN FRANCE	 EN60974-1		 Ø	 min → max			 Ø mm		Equipement d'origine Original equipment Originalausstattung Equipamiento de fabrica	EN60974-1 (40°C)		 Protected & compatible power generator (+/-15%)		
		50 / 60 Hz	A	Ø mm	A	SPOOLGUN	PUSH/PULL						200	Cooling system
AUTOPULSE 320-T3		400 V · 3 ~	16	0.8 → 1.2	15 → 320	OPTION	OPTION	■	Air	 ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260	320 A @ 35%	90x92,5x63 / 82.5	16 kVA
AUTOPULSE 320-T3 208-240V		208-240 V · 3 ~	25	0.8 → 1.2	15 → 320	—	OPTION	■	Air	 ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260	320 A @ 35%	90x92,5x63 / 82.5	16 kVA

PUSH PULL
TORCH 24 V
details p. 72

MB 15
4 m
044111


MB 25
4 m
046283



SPOOLGUN
TORCH
details p. 72

Ideal Alu
Ø 0,8

4 m 041486



Débimètre de
bout de torche
053939

Housse de protection
- Protection cover
- Schutzhaube

052260



AUTOPULSE ~1ph 220A CONFIGURATIONS

AUTOPULSE 220-M1						
065024	NEW	4 m, 35 mm² 043817	—	—	Alu 250 A, 3 m, air Ø 1.2	
AUTOPULSE 220-M3 230 V						
036703		4 m, 35 mm² 043817		CuSi 150 A, 3 m, air Ø 1.0	Steel 150 A, 3 m, air Ø 0.8	Alu 250 A, 3 m, air Ø 1.2
AUTOPULSE 220-M3 208-240 V						
062481	NEW	4 m, 35 mm² 043817		CuSi 150 A, 3 m, air Ø 1.0	Steel 150 A, 3 m, air Ø 0.8	Alu 250 A, 3 m, air Ø 1.2

AUTOPULSE ~3ph 320A CONFIGURATIONS

AUTOPULSE 320-T3 400V						
036710		4 m, 35 mm² 043817				
AUTOPULSE 320-T3 208-240V						
036970	NEW	4 m, 35 mm² 043817				
AUTOPULSE 320-T3 400V						
PACK 1 059184		4 m, 35 mm² 043817		Steel 250 A, 3 m, air Ø 1.0	Steel 250 A, 3 m, air Ø 1.0	Alu 250 A, 3 m, air Ø 1.0
PACK 2 059191		4 m, 35 mm² 043817		Steel 250 A, 3 m, air Ø 1.0	Steel 250 A, 3 m, air Ø 1.0	Alu 250 A, 3 m, air Ø 1.2
AUTOPULSE 320-T3 208-240V						
036970	NEW	4 m, 35 mm² 043817				
AUTOPULSE 320-T3 400V						
PACK 1 065826	NEW	4 m, 35 mm² 043817		Steel 250 A, 3 m, air Ø 1.0	Steel 250 A, 3 m, air Ø 1.0	Alu 250 A, 3 m, air Ø 1.0
PACK 2 065833	NEW	4 m, 35 mm² 043817		Steel 250 A, 3 m, air Ø 1.0	Steel 250 A, 3 m, air Ø 1.0	Alu 250 A, 3 m, air Ø 1.2

TORCHES MANUELLES - Manual Torches - Brenner - Antorcha - Lastoort - Tocha

Classic

Classic

Grip

GRIP CONFORT

Fume Extraction

SPOOL GUN

PUSH PULL

for NEOPULSE 220C & 220C XL

GALETS - Rollers - Drahtführungsrollen - Rollen - Rodillos - Wielen - Roletes

Coffrets - Boxes - Verschleißteilebox - Cajas - Kistjes - Estojos

MB 15 (150A)

MB 15 / MB 25

MB 25 (250A)

MB 36 (350A)

Gaines - Torch liners - Mantel - Funda - Drahtseelen - Folha

ACIER - STEEL - STAHL - ACERO - STAAL - AÇO

CONSUMMABLES - Consumables

Gaines - Torch liners - Mantel - Funda - Drahtseelen - Folha

Torches complètes - Complete Torches - Brenner - Antorcha - Lastoort - Tocha

Acier / Inox - Steel/Stainless steel - Stahl/Edelstahl

Supports tube contact & diffuseurs - Tip adaptors & diffusers

Acier / Inox - Steel/Stainless steel - Stahl/Edelstahl

Tubes contacts - Contact tips - Kontaktrohre - Tubo de contacto - Contactbuis - Pontas de contacto

150A 250A 350A 300A

Buses - Gas nozzles - Düsen - Tubo - Nippel - Bicos

150A 250A 350A 300A

BOBINES DE FIL - Welding wire reels - Drahtrollen - Rollos de hilo - Draadbobijn - Bobines de fio

for	kg			Ø 0.6 mm	Ø 0.8 mm	Ø 0.9 mm	Ø 1.0 mm	Ø 1.2 mm	EXCELLIUM			NORMES - Norms - Normen - Norma		
									Ø 0.8 mm	Ø 1.0 mm	Ø 1.2 mm	AWS	EN	DIN
Acier - Steel - Stahl - Acero - Staal - Aço	0.9	100 mm	—	086593	086609							5.18 : ER 70S-6	ISO 14341-A : G46 4M G3Si1	8559 : SG2
	5	200 mm	—	086111	086128		086135							
	15	300 mm	—	086166	086227		086234	086241		086302	086319			
	18	—	300 mm		086272		086289	086296				5.18 : ER 70S-3	ISO 14341-A : G42 2M 2Si1	8559 : SG1
	5	200 mm	—	086418	086401									
	15	300 mm	—		086258									
	5	200 mm	—		086203							5.28 : ER 90S-B3	ISO 2195L-A : Gr CrMo2Si	—
	0.9	100 mm	—			086104								
	4.5	200 mm	—		086265	086623	086630							
	15	300 mm	—			086388	086395					ASME SFA- 5.28 : ER 120 S-G	ISO 12534 : Mn4Ni2, 5CrMo	—
Acier - Steel - Stahl - Acero - Staal - Aço	16	—	300 mm					086173						
	5	200 mm	—	086760	086777							5.18 : ER 70S-2	ISO 14341-A : G42 2 M G2Ti	8555 : MSG 6-CF-60
	1	100 mm	—		086692									
	5	200 mm	—		086647		086654		086210			5.7 : ER CuSi-A	ISO 14640 : S Cu 6560	1733 : SG-CuSi3
	5	200 mm	—		086661		086197							
	15	300 mm	—				086180					5.7 : ER CuAl-A1	ISO 14640 : S Cu 6100	1733 : SG-CuAl8
CrNi	1	100 mm	—		086616							5.9 : ER 308L Si	ISO 14343-A : G19 9 L Si	8556 : SG X2CrNi 19 9
	5	200 mm	—		086579		086340							
	15	300 mm					086357					5.9 : ER 316L Si	ISO 14343-A : G19 12 3 L Si	8556 : SG X2 CrNiMo 19 12
	5	200 mm	—		086326		086364							
	15	300 mm					086371					5.10 : ER 5554	ISO 18273 : S Al 5554	1732 : SG-AIMg3
Aluminium	2	200 mm	—					086517						
	7	300 mm	—					086500				5.10 : ER 5356	ISO 18273 : S Al 5356	1732 : SG-AIMg5
	0.5	100 mm	—		086548									
	2	200 mm	—		086555		086562					5.10 : ER 4043	ISO 18273 : S Al 4043-A	1732 : SG-AISi5
	7	300 mm	—				086524	086531						
	7	—	300 mm						086487	086494		5.10 : ER 4047	ISO 18273 : S Al 4047	1732 : SG-AISi12
	0.5	100 mm	—		086685									
	2	200 mm	—				086142	086159				5.10 : ER 4047	ISO 18273 : S Al 4047	1732 : SG-AISi12
	0.5	100 mm	—				086678							
	2	200 mm	—				086067	086074						
	7	300 mm						086043						

GALETS - Rollers - Vorschubrollen - Rollen - Rodillos - Wielen - Roletes

TYPE A

TYPE B

TYPE C

Acier - Steel - Stahl - Acero - Staal - Aço - Inox - Stainless

Alu

Fil fourré - Cored wire

PINCE SPÉCIALE MIG/MAG-ORIGINAL FIX - Special MIG-MAG plier - Spezial MIG/MAG Zange - Pinza especial MIG MAG

PRO (x1)

041332

ADAPTATEURS BOBINES - Adaptors for wire reels - Korbspulenadapter

ALIGNER 200

Ø 200

042889

After sales

Press & Lock

Professional 71608

Industrial 71613

SUPPORT TORCHE MAGNÉTIQUE - MIG torch stand with magnetic base

041653

053939

DÉBIMÈTRE DE BOUT DE TORCHE

KIT SOUDAGE NO GAZ Ø 0.9 - No Gas Welding Kit Ø 0.9

041240


Monomig 160-1, Easymig 150/160/160XL, Smartmig 142/152/162/3P/182/183, Multipearl 200-2



GYSDUCTION / COMBIDUCTION

INDUCTION
HEATING

 CAR BODY


	PACKS - GYSDUCTION AUTO								
	PROLINER AUTO 048775	COMPLETE AUTO 053380	COMPLETE AUTO + 056978	MECA AUTO 048812	MECA AUTO + 056961	BODY SHOP AUTO 048799	GLASS AUTO 048805	DENT REPAIR AUTO 054981	
 1 box	=	=	=	=	=	=	=	=	
 GYSDUCTION AUTO	✓	✓	✓	✓	✓	✓	✓	✓	
 Plastic wedges 051294	✓	✓	✓	—	—	✓	✓	—	
 Burn off inductor 053373	✓	✓	✓	—	—	✓	✓	—	
 Body inductor 053359	✓	✓	✓	—	—	✓	—	—	
 Bolt inductor 053366	✓	✓	✓	✓	✓	—	—	—	
 Remote control 05490	✓	✓	✓	✓	✓	✓	—	—	
 Universal 800 051331	✓	—	—	—	—	—	—	—	
 Cable support 052284	✓	—	—	—	—	—	—	—	
 Dent pulling inductor 054776	—	—	—	—	—	✓	—	✓	
 Spiral inductor 054783	—	✓	—	✓	—	—	—	—	



 **GYSDUCTION AUTO**

2 400 W 230 V • 1 ~

PFC **AIR**



 **COMBIDUCTION AUTO 50LG**

5 200 W 230 V • 1 ~

PFC **LIQUID**

065901





INCLUDED COMBIDUCTION

**Décapage - Glass - Entfernen
053373**

**Protection (x5)
+ Colle - Stick
053854**

**Décollage - Decal - Entkleben
053359**

**Protection (x1)
+ Colle - Stick
059108**



OPTIONS

**Inducteur spirale
- Spiral inductor
- Spiralinduktor
054783**

1.2 kW

2.5 m

**Débosselage sans peinture
- PDR : Paintless Dent Repair
- Lackschadenfreies Ausbeulen
054776**

**Licensed by
BETAG innovation**

3 m



**Spray
refroidisseur
- Freezer spray**

**-50 °C
400 ml**


**(x 12)
048898**

**Adhesive for logo
(x10)
051492**

Adhesive

LOGO

 EN-60 335/1	 MADE IN FRANCE				Freq.	Tech.		Cable L (m)		 Heating					 Protected & compatible power generator (+/-15 %)	
			A	W	kHz	PFC	Liquid Cooling	 Inductor				cm	kg			
GYSDUCTION AUTO		230V, 1~, 50/60 Hz	16 mini	2400	35+100	■			2	2.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	36 x 27 x 22	7.5	3 kW
COMBIDUCTION AUTO 50LG		230V, 1~, 50/60 Hz	25 mini	5 200	30+50	■	■ 71		8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	59 x 88 x 59	72	6 kW





POWERDUCTION

INDUCTION
HEATING



MAINTENANCE / MECHANIC / INDUSTRY

INCLUDED

Spirale - Coil - Spiralförmiger draht



Ø 18 mm
054806



Ø 24 mm
054790



Ø 30 mm
055469

Fil tressé enroulable - Flexible
wrappable wire - Flexibel
geflochtener draht



800 mm
054813

Fil droit rigide - Straight rigid wire
- Steif gerade draht



800 mm
054868



1 m

   POWERDUCTION 10R

1 200 W

230V • 1 ~

AIR

062504



2 m

   POWERDUCTION 37LG

3 700 W

230V • 1 ~

❄ LIQUID

056992



3 m

   POWERDUCTION 39LG

3 700 W

230V • 1 ~

PFC ❄ LIQUID

058583




PFC POWER FACTOR CORRECTION

185V ↔ 265 V

110 V 230 V

100 m







3 m

   POWERDUCTION 50LG

5 200 W

230V • 1 ~

PFC ❄ LIQUID

055599



4 m

   POWERDUCTION 110LG

11 000 W

400V • 3 ~

❄ LIQUID

058590

NEW

11 000 W

208-240V • 3 ~

❄ LIQUID

065246


OPTION 10R



Decal - Décollage - Entkleben
066601



OPTION 37LG



Cable support
052284



Chariot - Trolley
UNIVERSAL 800
051331



Youtube

 EN-60 335/1	 MADE IN FRANCE				Freq.	INTEGRATED TECHNOLOGY		Cable L (m)								
			A	W	kHz	P400	PFC	Liquid Cooling	Inductor							
POWERDUCTION 10R		230V, 1~, 50/60 Hz	10 mini	1 200	45+80	—	—	—	2	1	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	23 x 14 x 10	3	1.5 kW
POWERDUCTION 37LG		230V, 1~, 50/60 Hz	16 mini	3 700	15+30	—	—	■ 1.5 l	2	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	45 x 29 x 25	15	4 kW
POWERDUCTION 39LG		230V, 1~, 50/60 Hz	16 mini	3 700	30+50	■	■	■ 7 l	2	3	M12 → 1 s	2 mm → 5 s	Ø10 → 15 s	53 x 70 x 37	39.5	4 kW
POWERDUCTION 50LG		230V, 1~, 50/60 Hz	25 mini	5 200	30+50	■	■	■ 7 l	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	59 x 88 x 59	70	6 kW
POWERDUCTION 110LG 400V		400V, 3~, 50/60 Hz	16 mini	11 000	25+40	—	—	■ 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	59 x 88 x 59	80	15 kW
POWERDUCTION 110LG 208-240V		208-240V, 3~, 50/60 Hz	35 mini	11 000	25+40	—	—	■ 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	59 x 88 x 59	86	15 kW

POWERDUCTION

INDUCTION HEATING

81



80



included adapter
32L + L90
064515 + 059788

COMING
SOON

POWERDUCTION 160LG

16 000 W 400 V • 3~

LIQUID

057814

POWERDUCTION 220LG

22 000 W 400 V • 3~

LIQUID

066861

 EN-60 335/1	 MADE IN FRANCE				Freq.		Cable L (m)		 Heating					 
			A	W	kHz	Liquid Cooling	 Inductor				cm	kg	Protected & compatible power generator (+/-15%)	
POWERDUCTION 160LG 400V		400 V, 3~ 50/60 Hz	32 mini	16 000	25+40		4	6	M20 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	70 x 118 x 60	120	22 kW
POWERDUCTION 160LG 208-240V		208-240V, 3~ 50/60 Hz	45 mini	16 000	25+40		4	6	M20 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	70 x 118 x 60	130	22 kW
POWERDUCTION 220LG		400 V, 3~ 50/60 Hz	32 mini	22 000	25+40		4	6	N/A	N/A	N/A	70 x 118 x 60	125	22 kW

OPTIONS



Housse de protection
- Protection cover -
Schutzhaube
for POWERDUCTION
160LG
050853



Cooling liquid
(not included)
5L
062511
10L
052246

POWERDUCTION - ACCESSORIES & CONSUMABLES

t° POWER HEAT CONTROLLER


t° CONTROL
80>350°C

NEW



POWER HEAT
CONTROLLER
061644

Included
T° sensors
thermocouple type K
x2



Youtube

OPTIONS



Pyrometer IR
for inductor L90

1.1 m
064119



INDUCTEURS - Inductors

SMALL (Ø16)								LARGE (Ø32)				
NEW								NEW				
* = original equipment S90 058927	S70 061569	S180 059269	S20/B1 (20°) 064874	S180/B1 064881	S180/B2 064928	S180/B3 067899	S180/B3W 067899	L90 (90°) 059788	L70 (70°) 059771	L180 059795	L180/Spiral 065000	L20/B4 067882
37 LG	✓*		✓				✓					
39 & 50 LG			with adapter 28S						with adapter 28L			
110 & 160 LG			with adapter 32S					with adapter 32L*		with adapter 32L		
220 LG			with adapter 32S						with adapter 32L			with adapter 32L*

28S M28 Ø16 064485		32S M32 Ø16 064508		28L M28 Ø32 064492		32L M32 Ø32 064515	
37 LG			—				—
39 & 50 LG	✓		—	✓			—
110 & 160 LG	—		✓	—			✓
220 LG	—		✓	—			✓

COMPLETE (Ø28)

C20/B1 (20°) 056862		C180/B1 (90°) 056879		C180/B2 (90°) 056886	
39 & 50 LG	✓*			✓	

BOÎTES - Boxes



28S/B
for 39LG & 50LG
065802
included:
S20/B1 (x1)
S180/B1 (x1)
S180/B2 (x1)
28S (x1)
B1 (x1)
B2 (x1)



32S/B
for 110LG & 160LG
065819
included:
S20/B1 (x1)
S180/B1 (x1)
S180/B2 (x1)
32S (x1)
B1 (x1)
B2 (x1)



L box
065796
included:
L70 (x1)
L180 (x1)

FERRITES - Ferrites - Ferritaufsatz



B1
053823



B2
053458



B3
067875



B4
053755



Colle-Stick
bi-composants
Power Epoxy
150°C
054851

COFFRET DE DÉCOUPE PARE-BRISE
- Professional Box Set for Windscreen Removal - Frontscheiben-Trennsystem für Akkuschrauberbetrieb

057654

MADE IN HIGH QUALITY GERMANY

included
65 m
058125

included
Axe enrouleur
068100

SYSTÈME DE DÉCOUPE PARE-BRISE A CLIQUET
- Windshield Cutting kit - Set zum Lösen von Windschutzscheiben

054738

OUTIL DÉCOUPE PARE-BRISE
- Windshield Cutting Tool - Windschutzscheiben Demontage-Set

051935

KIT DÉCOUPE JOINT DE PARE-BRISE - Windscreen Joint-cutting Kit - Scheibentrenn-Werkzeug-Set

051898

Corde à piano torsadé (22 m)
- Windscreen seal cutting wire (twisted)
- Piano-Schneiddraht, gedrillt, 22 m Rolle
051911

Corde à piano carré (50m)
- Windscreen seal cutting wire (square)
- Vierkant-Draht, 50 m Rolle
051881

COUPEAU PNEUMATIQUE DE DÉCOUPE PARE-BRISE
- Oscillating Pneumatic Saw for Windscreen Removal - Druckluft-Trennmesser für Windschutzscheiben

057623

Included
57 mm
057845

90 mm
057852

8 mm
057876

35 mm
057838

U
36 mm
057869

PROTECTIONS TABLEAU DE BORD
- Dashboard Protector - Armaturenbrett Schutz

053120

EXTRACTEUR D'ESSUIE-GLACE - Removal tool for windscreen wiper arms - Wischerarm-Abzieher

UNIVERSEL
057630

EXPERT
Accès difficile
- Difficult access
057647

VENTOUSES - Suction Lifting Pads - Saugnapfwerkzeug für Spiegelgläser

056695

051966

x6
057609

RENOV'POLYCARBONATE - Compressed air polisher - Druckluftpolierer

Complete pack
1 ponceuse orbitale
+ 1 lustreuse
- 1 orbital sander
+ 1 polisher
052086

2 SPEED

052055

052062

052079

sander Ø75
057494

polisher Ø75
058224

Ø 76
P 500 (x 10)
P 800 (x 10)
P 1500 (x 10)
P 3000 (x 10)

P 500 x 50 052017
P 800 x 50 052024
P 1500 x 50 052031
P 3000 x 50 052048

AGRAFEUSE POUR RÉPARATION PARE-CHOCS - Hot stapler for bumper repair - Stoßstangen Reparatur Kit

052925



INCLUDED :
x20 x20 x20 x20 x20

MADE IN TAIWAN

PORTABLE
Sur batterie - Battery operated
058118

included
Li-ion battery 3.7 V
048669
included adapters :
EUR, UK, USA & AUS





Charger included
048652

MADE IN TAIWAN



Adjustable

INCLUDED :
Ø 0.6, x100 Ø 0.8, x100
Ø 0.6, x100

Agrafes - staples	 Angle interne étroit - Inside corner Ø 0.7 mm	 Alignement de fissure - Crack alignment Ø 0.7 mm	 Fissure importante - Large crack Ø 0.7 mm	 Angle interne - Internal angle Ø 0.7 mm	 Angle externe - External angle Ø 0.7 mm
	 x 100 047990	 x 100 047983	 x 100 047976	 x 100 047969	 x 100 047952
052413	= x 50	+ x 50	+ x 50	+ x 50	+ x 50

COFFRET DE PERÇAGE PARE-CHOCS POUR DÉTECTEURS - Piercing Kit for Bumper Sensors - Lochwerkzeug für Stoßfänger



PRO +
059139

Ø 17-18,2
19-20,22,5-24
26-26,7-32 mm



FREEZER


Spray refroidisseur
- Freezer spray

-50 °C
400 ml

(x 12)
048898



COFFRET DE RÉPARATION DES PLASTIQUES AUTOMOBILES - Brazing automotive plastics repair kit - Kungstoff Reparatur Set



052932

MADE IN BELGIUM



052963 057258

x10 052956

25 x 12.5 cm x2 052949

STATION DE SOUDAGE DES PLASTIQUES - Plastic welding station - Kunststoff-Schweißset

320 W - 230 V, 1-50 Hz
Temperature : 160 < 480°C
▲ 3.4 kg
Length of hose : 1 m
Air flow : 24 l/min

062726

Ø 5 mm included 066694
Ø 8 mm included 066700

Station seule - Station only 064072



INCLUDED

440 mm	PP / EPDM	▲ 4 mm x 10 066304
		■ 6 mm x 10 067622
		■ 8 mm x 10 066298

OPTION

440 mm	PP / EPDM	▲ 5 mm x 10 063242
		■ 10 mm x 10 063259
	ABS	▲ 5 mm x 10 063372
		■ 10 mm x 10 063266

OPTION

Trolley SPOT 600 053533

NEW

Grattoir - Scraper 068032

x2 068049

Included 058231

Included Mini fraiseuse - Mini milling machine 063228

Included Tungsten drill Ø 5 mm 063235

KIT DE SOUDAGE DES PLASTIQUES - Welding Kit for Plastics - Kungstoff-Schweißset

1 600 W - 230V - 50/60 Hz
max. 230 l/min
▲ 1.3 kg / -L Ø100 x 300mm,
poignée Ø 56mm.

057678


20-700°C

3m

20mm

x10 052956

x1 25 x 12.5 cm 052949



Options

TIP Ø5 061262

TIP insert Ø5 061279

STATION DE SOUDAGE À ULTRASONS DES PLASTIQUES

230 V
Output 40 kHz - 800 W

29 x 22 x 12 cm
3 kg
0.8 kg (gun)

067868

MADE IN ITALY



NEW

Touch screen
6 languages
Timer control


included 2 Titanium sonotrodes

GYS HAND TOOLS - Ausbeulwerkzeug


● **FULL PACK =**
061637



MADE IN
HIGH
QUALITY
GERMANY



+ ● **MEDIUM PACK**
051133



KIT MARTEAUX ET TAS - Planishing Kit for Car Body (Set of 3 Hammers + 4 Dollies) - Karosseriehammer & Handfaust Kit




OUTILS DE FORME - Forming tools - Formgebungswerkzeuge



OUTILS DE DÉGARNISSAGE ET RACLAGE - Set of 30 Tools for scraping/sanding and paint removal - Polster & Schaber Kit




BURINS - Hand Chisel for Car Body - Meißel für Karosserie




COUTEAUX RACLOIRS



JEU DE 4 BURINS EN NYLON - Set of 4 nylon chisels - 4 Kunststoffmeißel




JAUGES DE PROFIL - Contour Gauge - Konturenlehre



JAUGES DE POSITIONNEMENT - Gapping gauges - Spaltmaßlehre




OUTIL DE REMISE EN FORME PASSAGE DE ROUE - Fender roller tool set



REDRESSEUR DE CHARNIÈRE DE PORTE - Fixed Hinge Bending Tool




PINCES DE MAINTIEN BORD À BORD - Positioning clamp - I-Stoß-Lehre





PINCES MICRO-GRIP - Micro-grip clamps




PINCES ÉTAU À BEC PLAT - Flat nose lock-grip pliers



PINCES AXIALES - Axial-grip pliers



PINCES ÉTAU MONO SERRAGE - Lock-grip pliers



MINI-MEULEUSE - Mini disc sander - Druckluftschleifer

051829



Speed adjustment

Ø 75 mm

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	↔ cm	kg
18000	200	83	171	6.2	12	0.7

Included
(x1) 052468



058248



x2 Ø

Ø 50 & 75 mm

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	↔ cm	kg
15000	84	91	6.2	10	0.6	


MINI-FLEXIDISC LAMELLES ZIRCON
Ø 50 mm

- K 40 (x10) 058255
- K 60 (x10) 058262
- K 80 (x10) 058279



PONCEUSE À BANDE À TÊTE ORIENTABLE - Air belt sander - Druckluft Bandschleifer

060906



520 mm

360°

20

Grain 60 (x 5) 060913

Grain 80 (x 5) 060920


Grain 100 (x 5) 060937

Grain 36 céramique (x 5) 062535

Speed rpm	Air consumption l/min	Air pressure bar	↔ cm	kg
16 000	171	6.3	34	1.2

PONCEUSE À BANDE À TÊTE ORIENTABLE - Air belt sander - Druckluft Bandschleifer

052819



360°

330 mm

10 mm

Grain 80 (x 10) 052833

Grain 36 céramique (x 20) 062528

Speed rpm	Air consumption l/min	Air pressure bar	↔ cm	kg
16000	171	6.3	26	0.9

MINI-FRAISEUSE À RENVOI D'ANGLE - Mini Angle Milling Machine - Mini-Winkelschleifer

051836



90°

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	↔ cm	kg
18000	500	81	85	6.2	18	0.7

MEULEUSE D'ANGLE - Long Handled Angle Grinder - Druckluft-Winkelschleifer

057753



Ø 100 mm

± 1.6 mm, x5 057883

± 0.8 mm, x5 058217

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	↔ cm	kg
14000	84	113	6.2	37	1.7	

MINI-MEULEUSE À RENVOI D'ANGLE - Mini Angle Grinder - Mini-Druckluftwinkelschleifer geräuschgedämpft

051867



Ø 50 mm

90°

(x1) 052772

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	↔ cm	kg
15000	200	86	85	6.2	18	0.75

SCIE COUPE TÔLE DROITE ET LIME - Saw for Straight Cut and File - Druckluftsäge und Feile

051805



(x5) 052789

included 058750

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	↔ cm	kg
5000	—	85	255	6.2	10	0.8

PERCEUSE MANDRIN AUTOMATIQUE - Automatic Mandrel Drill - Druckluftbohrmaschine m. Schnellspannfutter

051799



Ø 13

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	↔ cm	kg
800	300	92	170	6.2	18	0.9

COFFRET DÉCAPEUSE PNEUMATIQUE - Pneumatic surface remover Kit - Druckluftentroster-Box inkl. Zubehör

051775



Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	↔ cm	kg
4000	500	86	102	6.2	280	1.2

Roue gomme 115 x 14 mm 051874

Roue à décaper 115 x 14 mm 051843

Adaptateur pour brosse 051768

Brosse souple Brins droits 0.5 mm 103 x 23 mm 052598

Brosse dure Brins incurvés 0.7 mm 103 x 23 mm 051812

Brosse souple Brins incurvés 0.5 mm 103 x 23 mm 051850

MINI FRAISEUSE - Mini milling machine - Mini-Schleifer

063228



NEW

Option

Tungsten drill Ø 6 mm 054172

POINÇONNEUSE PNEUMATIQUE OBLONG - Pneumatic oval punching tool - Pneumatische Langloch-Blechzange

for MIG brazing 053182



6 mm 20 mm

1.2 mm max

included 6x20 53515

DÉPOINTEUSE POUR CORDON LASER ACIER - Laser cord metal sheet cutter (nibbler) - Trennwerkzeug für Lasernähte

054165




Ø 6 mm

STEEL Included 054172

Outil de poinçonnage oblongs - Punching tool for oval holes - Langlochkarosserieblechzange

2.2 kg



6 mm 20 mm 052437

8 mm 20 mm 067264

PINCE À SOYER ET À TROUER, Ø5MM PNEUMATIQUE - Pneumatic flange / ø5 mm punching tool - Pneumatische Loch- und Absatzzange Ø 5 mm

052543



Ø 5 mm

0,8 > 1,2 mm

2 in 1

0,8 > 1,2 mm

BODY ZIPPER - Sertisseuse pneumatique Pneumatic Crimper - Druckluftkantenformer

056930



MADE IN HIGH QUALITY POLAND

1) MINI

2) initial W

3) final M x < 2.4mm


4) final D x > 2.4mm

total thickness x=2a+b

Air pressure bar 5

↔ cm 28

kg 2.1



DÉPOINTEUSE - Spot remover - Druckluft-Schweißpunktbohrer

SPOT DRILL 050464



360°

Ø 8

Included : Tungsten Carbide Ø 8 for BORON/UHSS (x1)

HIGH QUALITY

Forets de dépointage - Spot remover drill - Schweißpunktfräse Tungsten Carbide for BORON/UHSS


Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	↔ cm	kg
800	400	85	140	6.5	35	2.3

3-edge Ø 8 mm 053069

4-edge Ø 8 mm 059849



PACK SPOT DRILL + 140 mm 061460



140 mm 061453

3-edge Ø 8 mm 053069

TOURNEVIS SANS FIL - Cordless Mini Screwdriver - Akkuschrauber

057944

LO speed : 220 rpm - 4 Nm
HI speed : 450 rpm - 2.7 Nm
3.6 V - 1.5 Ah Li-Ion battery
430 g
■ 295 x 290 x 90 mm

135 mm

90°

150 mm

53527



DÉTECTEUR ÉPAISSEUR DE PEINTURE - Film coating thickness gauge

Measurement range : 0 – 1.80mm
Resolution : 0.01 mm / 1mm
Measurement error : +/- 0.03 mm
Power Supply : 2x 1.5V AAA batteries (included)
Overall dimensions : 62 x 30.5 x 105 mm

059856



TOURNEVIS À CHOCS SANS FIL - Cordless Impact Screwdriver - Akkuschrauber

057951

Speed : 2400 rpm
117 Nm max
14.4 V - 2 Ah Li-Ion battery
1.1 kg
└ 155 x 63 x 210 mm
■ 295 x 290 x 90 mm

53526



PONÇEUSE /POLISSEUSE ÉLECTRIQUE - Electric Sander & Polisher - Elektro-Polier-Schleifer

057999

Orbital 5.0 mm
└ 303 x 101 mm
1.21 kg
Speed : 4000, 7000, 9000 10000 rpm
AC-in 220V - 230V / 50 - 60Hz

Light weight
& Compact

((No vibration))

Speed control

Ø 35

Ø 152 mm

058293

Power supply : 230V / 50Hz
Power : 1400W (max 2000W)
Max. vacuum : 170 mbar
Air flow : 2700 l/min
Drum capacity : 30 L
Drum material : stainless steel
└ 380 x 380 x 700 mm
▲ 7 kg

Manual or automatic

4m

Input Ø 32 mm
Mains cable length 4.5m



ASPIRATEUR PNEUMATIQUE POUR POUSSIÈRES ALU (ATEX) - Pneumatic aluminium dust atex vacuum cleaner

058866

Dust container capacity : 25 l
Working compressed air pressure : 7 bar
Compressed air consumption at 6 bar : 800 l/min
Suction connection diameter size : 50 mm
Max suction capacity : 150 m³/h
Max vacuum level : 2000 mm H₂O
Recommended compressor power : 7.5 HP

└ 74 x 45 x 45 mm
▲ 18 kg

included
Filtre - Filter
058873

included
Sac à poussières - Filter bag
Capacity 5 kg
058880

5 m

Output Ø 29 mm
Input Ø 35 mm



TIG AC/DC

GTAW AC/DC
RÉPARATION
DE JANTES

POWER FACTOR CORRECTION
PFC
EN 61000-3-12
FV
FLEXIBLE VOLTAGE

PROTIG 201 AC/DC

TIG 220 AC/DC



PROTIG 201 AC/DC HF FV

200 A

110 → 230 V • 1 ~

P400 PFC FV SR VRD inside TIG PULSE

L/DB/P AD MMA PULSE

TIG 220 AC/DC HF FV

220 A

110 → 230 V • 1 ~


P400 PFC FV SR

AID TIG PULSE WAVE FORMS

CONNECT 5 ARC ON L/DB/P

MMA PULSE IP 23

Métaux d'apport TIG - TIG filler rods - WIG-Schweißstäbe

	5 kg (L= 1 m)	X...	
	Alu - Aluminium - Aluminio (AlMg5)	Ø 1.6 920	087170
	Normes - Norms - Normen - Norma AWS A 5.10 : ER 5356	Ø 2.0 590	087187
	EN ISO 18273 : 5 Al 5356	Ø 2.4 410	087194

Électrodes tungstène - Tungsten electrodes - Wolfram Elektroden

WP PUR (AC) Alu - Aluminium - Aluminio		
Ø 2.0	x10	046719
Ø 2.4	x10	044579

SR 17 - SR 18 - SR 26

AC / DC
044678
Back cap (short+long)
Tungsten electrode
WR2 Ø 1.6 & Ø 2.4
+ collets
Gas nozzle N5 - N7

COMPLETE PACKS						
pack PROTIG 201 AC/DC 065710	■	—	SR26 DB, 4 m 038271	2 m, 25 mm² (original equipment)	2 m, 25 mm² (original equipment)	└ 702 x 800 x 352 mm 037489
pack TIG 220 AC/DC 028388	—	■	SR26 DB, 4 m 038271	4 m, 25 mm² 043794	—	└ 702 x 800 x 352 mm 037489

FOOT PEDAL RC-FA1(4 m) 045682



Débitmètre bout de torche Torch Gas Flow Meter Durchflussmessrohr



15L / min
(FR) 041998
(UK) 040274
(NL) 040267
(IT) 038691

30L / min
(FR) 041622
(UK) 041646
(DE) 041219
(NL) 041615
(IT) 038707



CE NORME EN60974-1	FRANCE		50/60Hz	A	I₂ TIG A		INTEGRATED TECHNOLOGY										TIG				MMA		Freq. AC							Protected & compatible power generator (+/-15%)
					AC DC	P400 PFC FV SR AID	TIG PULSE	WAVE FORMS	IP23 AD	EN60974-1 (40°C)				EN60974-1 (40°C)																
										I (60%) X% (I2 max)	I (60%) X% (I2 max)	Hz Uo mm² cm kg	7.5 kW 8.5 kW																	
PROTIG 201 AC/DC-HF FV			110V-1~ 20	10→160 10→160			0.1 → 2000Hz (DC) 0.1 → 10 Hz (AC)					AC 105 A DC 120 A AC 20% DC 25%	90 A 32%	20 → 200 70V Ø 13, 35/50 41 × 36 × 24 15	7.5 kW															
TIG 220 AC/DC-HF FV			110V-1~ 32	10→200 5→140			0.1 → 2500Hz (DC) 0.1 → 2 Hz (AC)					AC/DC : 140 A AC/DC : 100%	140 A 75%	20 → 200 75V Ø13, 35/50 62 × 46 × 35 22	8.5 kW															

LAMPES BALADEUSES - Hand lamps - Handleuchte

Lampe BALADEUSE TRIPODE 250 L

100-250 lumens (x3)

3 x 1 W COB LED
3 x 3.6 V - 300 mAh
AAA rechargeable, Ni-MH
USB charging (6h)
operating time
High position : 1 h
Low position : 3 h
Flashing : 5 h

↓ 260 x 100 x 100 mm

059955



Lampe BALADEUSE 400 L

400 lumens

COB LED
Li-ion
Charging time : 8h
operating time
High position : 2.5 h
Low position : 5 h
Top light (1 W) : 6 h

↓ 230 x 65 x 40 mm

059153



Lampe BALADEUSE ÉTANCHE 400 L

200-400 lumens

COB LED
3.7 V - 2000 mAh Li-ion
USB charging (4/6 h)
mains charger not included
operating time
High position : 2 h
Mid position : 4 h
Top light (4 W) : 3 h

↓ 285 x 65 x 65 mm

IP 56

059948



Lampe BALADEUSE PRO 600 L

250-600 lumens

COB LED, 80 CRI
3.7 V - 2200 mAh Li-ion
micro USB charging (3.5 h)
operating time
High position : 1.5 h,
Mid position : 4.5 h,
Top light (100 lumens) : 10 h

↓ 190 x 56 x 29 mm

IP 54

210 g

060883



Lampe AMBIANCE 360° PORTABLE 1000 L

60-1000 lumens

>80 CRI SMD LED
6500 K
3.7 V - 5200 mAh Li-ion
USB charging (4.5h)
USB power supply
operating time 2 > 27 h

↓ 260 x 75 x 75 mm

IP 54

450 g

059764



LAMPES D'INSPECTION - Inspection lamps - Inspektionslampen

Lampe INSPECTION FRONTALE 280 L

100-280 lumens

3 W COB LED, 80 CRI+, 6500 K
3.7 V - 1500 mAh Li-po
micro USB charging
mains charger not incl.
operating time
High position : 2 h
Low position : 6 h
IP 65

110 g

↓ 78.5 x 47.5 x 42 mm

060845



Lampe INSPECTION MINI 200 L

120-200 lumens

COB LED, 80 CRI, 6500 K
3.7 V - 700 mAh Li-ion
micro USB charging (2.5 h)
mains charger not included
operating time
High position : 1.5 h
Low position : 4 h
Top light : 3.5 h
IP 20

76 g

↓ 174 x 27.5 x 28 mm

060852



Lampe INSPECTION FLEXIBLE 500 L

50-500 lumens

COB LED
80 CRI+
6500 K
3.7 V - 2600 mAh Li-ion
USB charging (4 h)
operating time
High position : 2 h
Low position : 16 h
Top light : 9.5 h

IP 54

290 g

↓ 423 x 65.5 x 44.5 mm

060869



Lampe INSPECTION PRO 600 L

0-600 lumens


COB LED
6500 K
3.7 V - 2600 mAh Li-ion
USB charging (4 h)
operating time
1.5 > 15 h

↓ 380 x 40 x 45 mm

300 g

057760

058309



LAMPES SOUS CAPOT - Under bonnet lamps - Leuchte für Motorhaube

Lampe SOUS CAPOT 600 L


300-600 lumens

120 COB LED
3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 1.5 h
Low position : 3 h

1.3 kg

059962



Lampe SOUS CAPOT 800 L



250-800 lumens

120 COB LED
3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 3 h
Low position : 6 h

058002

058316



PROJECTEURS LED SUR TRÉPIED - LED worklights with tripod - LED-Arbeitsleuchte mit Standfuß

Lampe sur TRÉPIED 1600 L

800-1600 lumens

Li-ion
Charging time : 3/4 h
operating time
Floodlight : 3 h
Torch : 4 h
Side light of the torch : 12 h
3 modes together - 2 h

IP 44

060890



Lampe sur TRÉPIED 1800 L

1800 lumens

3x 55 COB LED
total 165 LED
1.8 m power cord
059146



Lampe sur TRÉPIED 3000 L

3000 lumens

35 W COB LED
2 m power cord
IP 44
059979




Lampe sur TRÉPIED 4000 L

4000 lumens

3x 20 COB LED,
total 60 LED
3 m power cord
059986



CONTRÔLE DES COULEURS - Detailing & colour match - Fabnpassung & Aufbereitung



4500 K

400 lumens

SUNCOLOR 1

COB LED, CRI > 95, 1100 lux
3.7 V - 2600 mAh Li-ion
USB charging
operating time : 4.5 h
↓ 190 x 56 x 29 mm
290 g
IP 65

058477



3 COLORS

2700 - 4500 - 6500 K

350-420-450 lumens

SUNCOLOR 3

COB LED, 96 CRI+
3.7 V - 2600 mAh Li-ion
micro USB charging (4 h)
operating time : 2.5/4 h
IP 65
↓ 190 x 56 x 29 mm, 290 g

060838



5 COLORS

2700 - 3500 - 4500 - 5500 - 6500 K

500-1000-2000 lumens

SUNCOLOR 5

COB LED, 96 CRI+
11.1 V - 4400 mAh Li-ion
charger 110/240 V, 5 m cable, 15 V, 1.5 A
charging time : 3.5 h
operating time
High position : 2 h, Mid : 4 h, Low : 8 h
IP 65
↓ 225 x 200 x 70 mm, 1.2 kg

060876



5 COLORS


2500-3500-4500-5500-6500 K

250-500 lumens

SUNMATCH 3

COB LED, 96 CRI+, 700-1400 lux
3.7 V - 2600 mAh Li-ion, USB charging
operating time :
High position : 2 h, Low position : 4 h
IP 65
↓ 204 x 89 x 81 mm, 270 g

061651



SÉCHAGE UV - UV CURING


UV LED λ 395-400 nm

Irradiance 6-15 mW/cm²

NOVA-UV S

3.7 V - 5400 mAh Li-ion
USB charger, 1 m cable, 5 V, 2 A
charging time : 3.5 h
curing area : Ø 20 cm
operating time 1.5 h
IP 67
↓ 163 x 63 x 163 mm

061620



TRÉTEAUX - Frames support - Klappbücke

040601
100.5 x 112 cm - 5.5 kg
35 x 95 x 106 cm

040311
104.5 x 117 cm - 8.1 kg
32 x 10 x 106 cm

4 ventouses
Dépose vitrages
- Suction pad for glazing
- Gummiteller zur Fixierung von Glasscheiben

Ø 28 mm

Ø 32 mm

040250
100 x 105 cm - 7 kg
32 x 10 x 106 cm

Ø 32 mm

040304
104.5 x 108.8 cm - 8.1 kg
32 x 10 x 106 cm

Léger et très maniable
Spécial travaux à l'horizontal
- Light and easy to handle
- Ideal for horizontal works
- Speziell geeignet für Arbeiten in horizontaler Position

Ø 32 mm

059818

18.5 > 132 cm

24 kg

81 > 133 cm

86 cm

MADE IN HIGH QUALITY POLAND

Chaînette réglable
- Adjustable catenary

Mousse de protection
- Protecting foam

Antidérapants
- Non-slip base

SUPPORT PARE-CHOC - Rotary element support Lackierständer für Stoßstange, einstellbar

052376
91 x 105 cm - 7.6 kg
60 x 11 x 75 cm

Adapté aux coques de rétrovisors
- Adapted to wing mirror covers
- Geeignet für Außenspiegel

059825

50 cm

106 x 104 x 215 cm - 32.5 kg
112 x 31.5 x 21.5 cm
+ 12 x 9.5 x 194.5 cm

059832

50 cm

50 x 150 cm - 13 kg
152 x 15.5 x 11.5 cm

SUPPORT ÉLÉMENT ROTATIF - Rotary element support - Lackierständer für Stoßstange, einstellbar

052611
200 x 101 cm - 17.5 kg
35 x 15 x 110 cm
Made in China

1.5 mm

360°

2 mm

PRO
056725
200 x 105 x 81 cm - 22 kg
24 x 17 x 118 cm

Verrouillage de l'axe - Locking of the axis
- Verriegelung der Achse

MADE IN HIGH QUALITY POLAND

CHARIOT EXTENSIBLE POUR ÉLÉMENTS DE CARROSSERIE - Extendable support - Ausziehbarer Wagen

061507
max 150 kg

100 cm

135 - 210 cm

26 kg
114.5 x 42 x 13.5 cm

MADE IN HIGH QUALITY POLAND

CHARIOT DE LUXE MAROUFLAGE - Premium masking machine - Abdeckpapier-Ständer

MADE IN HIGH QUALITY POLAND

x 5
rouleaux de papier
- Papierständer
- Paper roll
30 > 120 cm

057333
150 x 133 x 62 cm
32 kg
152 x 17 x 29 cm

Ø 40 mm
x 6
058897

Ø 75 mm
Ø 250 mm

CHARIOT DE MAROUFLAGE - Masking machine - Abdeckpapier-Ständer

MADE IN HIGH QUALITY POLAND

x 3
rouleaux de papier
- Papierständer
- Paper roll
30, 60, 90 cm

056954
150 x 62 x 110 cm
- 12 kg
122 x 29 x 17 cm

Ø 75 mm
Ø 250 mm

CHARIOT DE STOCKAGE - Storage trolley - Lagerrollwagen

040243

71 x 90 x 197 cm
41 kg
x2:
90 x 6 x 147 cm
+ 97 x 74 x 24 cm

TIGES DE BLOCAGE - Flap Lock

056732

30 > 115 cm

TABOURET - Round Stool with Tool Storage - Werkstatt-Rollhocker

057555
38 x 38 x 44 cm - 6 kg
40 x 40 x 18 cm

max: 50 cm
min: 38 cm

SERVANTE 3 PLATEAUX - Workstation 3 shelves

068056

835 mm

390 mm

800 mm

NEW

CHARIOT DE VISITE - Mechanics Creeper With Tilting Headrest - Werkstatt-Rollliege

057548
102 x 43 x 11 cm
7.2 kg
11 x 44 x 13 cm

MARCHE PIED - Folding Step Stool (Aluminium) - Arbeitspodest klappbar

ALU 200 kg

057562
8.2 kg
102 x 41 x 59 cm

960 mm

385 mm

475 mm

CHARIOT POUR ÉLÉMENTS DE CARROSSERIE - Universal support - Universelle Ständer

066281
20 kg

max 80 kg

Ø 4.5 cm

80 cm

Ø 12.5

115 cm

70-100 cm

MADE IN HIGH QUALITY POLAND

NEW

ALU 150 kg

1090 > 1750 mm

520 > 900 mm

300 mm

058552
15.5 Kg

116 x 43 x 17 cm - 16.5 kg

COUVERTURE ANTI-CHALEUR - Heat cover - Hitzeschutzdecke - Manta anti-calor - Protecção anti-aquecimento



PROTEC 550
550°C/1000°F - **Class M0**
2 m x 2 m - 580 g/m²
050495



PROTEC 1200
1200°C/2200°F - **Class M0**
1.75 m x 1.5 m - 1200 g/m²
050204



PROTEC 1300
1300°C/2400°F - **Class M0**
XL : 2 m x 1.8 m 620 g/m²
053595



PROTEC 1300L
1300°C/2400°F
XL : 2 m x 1.8 m 427 g/m²
060500

JEU DE 2 AIMANTS
- Set of 2 magnets -
Schweißmagnet



(x2)
052291

COUVERTURE MAGNÉTIQUE - Magnetic cover - Magnetschutzdecke




1.06 m x 0.6 m
061446

RIDEAU DE SOUDAGE - Welding curtain and frame - Schweißerschutzwand



OPTI 215.0
Orange CE - 2 x 2.15 m
EN 25980 - 2015/01
060470



OPTI 200G
Green T9 - 2 x 2 m
EN 25980 - 2015/01
060463

MASQUES RESPIRATOIRES - Respiratory masks - Atemschutzmaske - Máscaras respiratorias



FFP3 - EN 140 / EN 143 / EN 166
(x1) Size M/L
037021



FFP3 - EN 140 / EN 143
(x1) Size M/L
037014



Étui / Case
037045



FFP3 - EN 143 : 2000 P3
Anti poussières
/ Anti odeurs
037038



FFP1
(x20) EN 149-2001
043916



FFP2D-OV
M / L (x5) EN 149-2001
043923

LUNETTES DE PROTECTION
- Protection goggles - Schutzbrillen

EN 166



Shade/IR0
042810



Shade/IR0
042827



Shade/IR5
042841



Shade/IR0
047778



Shade/IR0
047792



Shade/IR0
042865



Shade/IR0
047839

GANTS - Gloves - Handschuhe - Guantes



Anti coupe
- Anti-cut
T9
045897

EN388
4342



✓ écran tactile
- touch screen friendly

Anti coupe
haute résistance
High resistance anti-cut
EN 420
EN 388:4121
T9 : 045910
T10 : 045927



Anti coupe
haute dextérité
- High dexterity
anti-cut
EN 420
EN 388:1121
T9 : 045903
T10 : 045934



T10
064188

EN420
2003

Ultra Flexible
EN388
2003



Heavy Duty T10
(MMA - MIG - Plasma)
045101

EN388
4244

EN 407
424X4X
EN12477
Class : A1



Cuir
Leather
Gants PRO TIG
T10
045194

EN388
2122

EN 407
322X2X
EN12477
Class : A1



Gants de soudage
renforcés - Reinforced welding
gloves
T10
045873

EN388
4244

EN 407
424X4X
EN12477
Class : A1



Cuir
Leather
Gants PRO TIG EXTRA
T10
045323

EN388
2111XX

EN 407
423X4X
EN12477
Class : A1

TABLIER CUIR MULTI-USAGE
- Multi-use leather apron - Delantal
de cuero multi-uso - Mehrzweck-
Lederschürze

Cuir
Leather
PRO
045217



ÉQUIPEMENTS POUR OPÉRATIONS SUR VÉHICULES ÉLECTRIQUES & HYBRIDES - Equipment for operations on electric and hybrid vehicles - Ausrüstung für den Betrieb von Elektro- und Hybridfahrzeugen

ÉCRAN FACIAL AVEC SERRE-TÊTE
- FACE SHIELD WITH HEADBAND
068018

NEW



GANTS ISOLANTS (T10)
- INSULATING GLOVES (T10)
068025

NEW



Coffret de 25 outils isolés 1000V - 25 pieces insulated tools 1000V - Box mit 25 isolierten Werkzeugen 1000V
066489



Douilles 7/8/10/12/14/15/17/19/22 mm - 7/8/10/12/14/15/17/19/22 mm sockets	x 9
Pince universelle de 175 mm en chrome vanadium - 175 mm universal pliers in chrome vanadium	x 1
Pince coupante 150 mm en chrome vanadium - Cutting pliers 150 mm in chrome vanadium	x 1
Cluqiet en 3/8" - 3/8" ratchet	x 1
Rallonge 100 mm - Extension 100 mm	x 1
Poignée en T - T-handle	x 1
Clés plates à fourches 7/8/10/12/14/17 mm - Open ended wrenches 7/8/10/12/14/17 mm	x 6
Couteau pour câble - Cable knife	x 1
Tournevis Philips PhH1x100/PhH2x100 mm - Philips PhH1x100/PhH2x100 mm screwdriver	x 2
Tournevis plats 5.5x125/4x100 mm - Flat screwdriver 5.5x125 / 4x100 mm	x 2

Kit pour le balisage de la zone d'intervention
- Kit for marking the area of intervention
- Kennzeichnungsset für Hochvolt-Bereiche
064409

Balise de signalisation rouge et blanche - Red and white warning pole	x 4
Chaîne de délimitation rouge et blanche - Red and white bounding line	x 1
Pancarte de signalisation "Danger, zone de travail VEH" - Sign board "Danger, working area EHV"	x 2



PANTALON - Trousar - Hose



98% cotton,
2% antistatic

EN ISO 11611
Class 2-A1
& A2

EN ISO 1149-5

EN 14404
+A1
Type 2

IEC 61482-2
Class 1-4kA

S (40/42)
046368

M (44/46)
046375

L (48/50)
046382

XL (52/54)
046399

XXL (56/58)
046412

VESTE - Jacket - Jacke



IEC 61482-2
Class 1-4kA

EN ISO 11612
A1+A2-B1-C1-E3-F1

EN 14404
+A1
Type 2

EN ISO 11611
Class 2-A1 & A2

EN 1149-5

98% cotton, 2% antistatic

S (40/42) 046313

M (44/46) 046320

L (48/50) 046337

XL (52/54) 046344

XXL (56/58) 046351



GYS FRANCE

HEADQUARTER

1 rue de la Croix des Landes
CS 54159
53941 Saint-Berthevin - Cedex
Laval - France

Tel +33 2 43 01 23 60
E-mail service.client@gys.fr



ZI, 134 bd des Loges
53941 Saint-Berthevin
Laval - France

LOGISTIC CENTER

2 Rue Jean Dausset
53910 Changé - France
Tel +33 2 43 01 54 33



INVEST IN THE FUTURE



French manufacturer
since 1964

INVEST IN THE FUTURE

www.gys.fr



GYS Germany

Professor-Wieler
Straße 11
52070 Aachen
Deutschland

Tel +49 241 / 189-23-710
Fax +49 241 / 189-23-719
E-mail aachen@gys.fr



GYS UK

Unit 3
Great Central Way
Rugby - Warwickshire
CV21 3XH
United Kingdom

Tel +44 1926 338 609
Fax +44 1926 429 764
E-mail uk@gys.fr



GYS ITALIA

Vega - Parco Scientifico Tecnologico
di Venezia
Via Delle Industrie, 25/4
30175 Marghera - VE
Italia

Tel +39 041 53 21 565
E-mail italia@gys.fr



GYS CHINA

Lot N°15
6666 bd Songze
201706 Qingpu Shanghai
China

Tel +86 6221 4461
Fax +86 5226 0067
www.gys-china.com.cn
E-mail contact@gys-china.com.cn

MARKETING

Podium de présentation
- Display stand
- Podest

PODIUM 2

A : 80 cm
B : 50 cm
C : 50 cm
063211

PODIUM 1

A : 45 cm
B : 50 cm
C : 50 cm
063204



Linéaire de vente avec 2 étagères
- Retail display space with 2 shelves
- Lochwandregal mit 2 Böden
(machines not included)
060784



Barnum 3 x 3 m
098022

Open barnum
2 x 2 m
098039



Oriflamme
- Flag
1,75 x 0,50 m
098015

Distributed by

LinkedIn



Youtube



WeChat

